

LedsC4

Distributed by
hover
USA INC

Tubs Modular



Tubs Modular is a free system that defines spaces with its endless geometric designs and an elegant, minimalist light effect.



Tubs Modular




Modularity

Tubs Modular seeks ways to structure open spaces spatially, to create lattice shapes with air and light, and linear shapes that enhance the roominess of a space. A very visually appealing family, it plays with the lines within a space. As the piece takes shape, it becomes a living element capable of infinite expansion, but also be designed in smaller versions and adapted to smaller spaces. Tubs Modular is a highly flexible and technically sophisticated family of products, ensuring maximum user control within a slim profile.

Limitless configurations and combinations







Hanging structures that can either be surface-mounted or installed as pendants, with different ceiling rose options.





Customizable installations through the Configurator.







Light bulbs

Available in 3000K and from this fall also in 2700K

23.82 inch



35.43 inch



47.24 inch




58.86 inch



Installation



CEILING

Pendant



CEILING AND WALL


Surface-mounted




Connectors



90°




120°



Canopies

CEILING

Surface-mounted




Mini recessed*



WALL

Potentiometer (PWM)



Mini built-in*



*Rear access is required for this installation.

Power supply

Mini recessed: 90W 0-10V Dimmable

PWM: 90W Dimmable

Surface: 90W 0-10V Dimmable

For further details, please consult the technical data sheets or our sales department.



Installation with PWM



Remote installation with mini built-in
ceiling rose

Optional accesories: Metal case & Power
Supply not included but required



Surface Canopy

Pendant structures

All configurations will be available in optional 2700K this Fall 2023

BODY MAT

AL

DIF MAT

PMMA

50000h

L80 B20

3

MacAdam

360°

LED | K 3000 | CRI 90 | W Total 20.5 | Delivered Lm 1504

● 05 Black

○ M1 Opal white

		Structure	Diffuser	Code
	0-10V 100-277V	05 ●	M1 ○	00-8582-05-M1U
	0-10V 100-277V	05 ●	M1 ○	00-8583-05-M1U

BODY MAT

AL

DIF MAT

PMMA

50000h

L80 B20

3

MacAdam

360°

LED | K 3000 | CRI 90 | W Total 30.8 | Delivered Lm 2254

● 05 Black

○ M1 Opal white

		Structure	Diffuser	Code
	0-10V 100-277V	05 ●	M1 ○	00-8584-05-M1U
	0-10V 100-277V	05 ●	M1 ○	00-8585-05-M1U

BODY MAT

AL

DIF MAT

PMMA

50000h

L80 B20

3

MacAdam

360°

LED | K 3000 | CRI 90 | W Total 60.5 | Delivered Lm 4508


● 05 Black

○ M1 Opal white

		Structure	Diffuser	Code
	0-10V 100-277V	05 ●	M1 ○	00-8586-05-M1U
	0-10V 100-277V	05 ●	M1 ○	00-8587-05-M1U

012

BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°




LED | K 3000 | CRI 90 | W Total 51.3 | Delivered Lm 3758

- 05 Black
- M1 Opal white

	Structure	Diffuser	Code
 0-10V 100-277V	05	M1	00-8588-05-M1U
 0-10V 100-277V	05	M1	00-8589-05-M1U

BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°




LED | K 3000 | CRI 90 | W Total 60.5 | Delivered Lm 4508

- 05 Black
- M1 Opal white

	Structure	Diffuser	Code
 0-10V 100-277V	05	M1	00-8590-05-M1U
 0-10V 100-277V	05	M1	00-8591-05-M1U

BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°




LED | K 3000 | CRI 90 | W Total 51.3 | Delivered Lm 3758

- 05 Black
- M1 Opal white

	Structure	Diffuser	Code
 0-10V 100-277V	05	M1	00-8592-05-M1U
 0-10V 100-277V	05	M1	00-8593-05-M1U

BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°




LED | K 3000 | CRI 90 | W Total 30.7 | Delivered Lm 2256

- 05 Black
- M1 Opal white

	Structure	Diffuser	Code
 O-10V 100-277V	05	M1	00-8594-05-M1U
 O-10V 100-277V	05	M1	00-8595-05-M1U

BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°




LED | K 3000 | CRI 90 | W Total 52 | Delivered Lm 3760

- 05 Black
- M1 Opal white

	Structure	Diffuser	Code
 O-10V 100-277V	05	M1	00-8596-05-M1U
 O-10V 100-277V	05	M1	00-8597-05-M1U

BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°



LED | K 3000 | CRI 90 | W Total 92 | Delivered Lm 6762

- 05 Black
- M1 Opal white

	Structure	Diffuser	Code
 O-10V 100-277V	05	M1	00-9009-05-M1
 O-10V 100-277V	05	M1	00-9024-05-M1

BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°

LED | K 3000 | CRI 90 | W Total 71 | Delivered Lm 5264

● 05 Black
○ M1 Opal white

	Structure	Diffuser	Code
 PMW 100-277V	05 ●	M1 ○	05-8279-05-M1U
 0-10V 100-277V	05 ●	M1 ○	05-9008-05-M1U

BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°

LED | K 3000 | CRI 90 | W Total 61.5 | Delivered Lm 4511

● 05 Black
○ M1 Opal white


	Structure	Diffuser	Code
 PMW 100-277V	05 ●	M1 ○	05-8286-05-M1U
 0-10V 100-277V	05 ●	M1 ○	05-8598-05-M1U

BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°

LED | K 3000 | CRI 90 | W Total 51.4 | Delivered Lm 3757

● 05 Black
○ M1 Opal white

	Structure	Diffuser	Code
 PMW 100-277V	05 ●	M1 ○	05-8287-05-M1U
 0-10V 100-277V	05 ●	M1 ○	05-8599-05-M1U




BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°

LED | K 3000 | CRI 90 | W Total 56.5 | Delivered Lm 4133

- 05 Black
- M1 Opal white

		Structure	Diffuser	Code
	PMW 100-277V	05	M1	05-8288-05-M1U
	O-10V 100-277V	05	M1	05-8609-05-M1U




BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°

LED | K 3000 | CRI 90 | W Total 67 | Delivered Lm 4132

- 05 Black
- M1 Opal white

		Structure	Diffuser	Code
	PMW 100-277V	05	M1	05-8289-05-M1U
	O-10V 100-277V	05	M1	05-8610-05-M1U




BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°

LED | K 3000 | CRI 90 | W Total 60.5 | Delivered Lm 4510

- 05 Black
- M1 Opal white

		Structure	Diffuser	Code
	PMW 100-277V	05	M1	05-8260-05-M1U
	O-10V 100-277V	05	M1	05-8634-05-M1U

BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°




LED | K 3000 | CRI 90 | W Total 40,7 | Delivered Lm 3008

- 05 Black
- M1 Opal white

	Structure	Diffuser	Code
 PMW 100-277V	05	M1	05-8255-05-M1U
 0-10V 100-277V	05	M1	05-8635-05-M1U

BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°




LED | K 3000 | CRI 90 | W Total 60.5 | Delivered Lm 4508

- 05 Black
- M1 Opal white

	Structure	Diffuser	Code
 PMW 100-277V	05	M1	05-8256-05-M1U
 0-10V 100-277V	05	M1	05-8636-05-M1U

BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°



LED | K 3000 | CRI 90 | W Total 46.2 | Delivered Lm 3381

- 05 Black
- M1 Opal white

	Structure	Diffuser	Code
 PMW 100-277V	05	M1	05-8291-05-M1U
 0-10V 100-277V	05	M1	05-8637-05-M1U



BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°

LED | K 3000 | CRI 90 | W Total 15.4 | Delivered Lm 1127

- 05 Black
- M1 Opal white

	Structure	Diffuser	Code
 PMW 100-277V	05	M1	05-8249-05-M1U
 O-10V 100-277V	05	M1	05-8638-05-M1U



BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°

LED | K 3000 | CRI 90 | W Total 20.6 | Delivered Lm 1503

- 05 Black
- M1 Opal white

	Structure	Diffuser	Code
 PMW 100-277V	05	M1	05-8251-05-M1U
 O-10V 100-277V	05	M1	05-8639-05-M1U



BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°

LED | K 3000 | CRI 90 | W Total 25.9 | Delivered Lm 1878

- 05 Black
- M1 Opal white

	Structure	Diffuser	Code
 PMW 100-277V	05	M1	05-8253-05-M1U
 O-10V 100-277V	05	M1	05-8640-05-M1U

BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°



LED | K 3000 | CRI 90 | W Total 31 | Delivered Lm 2254

- 05 Black
- M1 Opal white

	Structure	Diffuser	Code
 PMW 100-277V	05	M1	05-8250-05-M1U
 0-10V 100-277V	05	M1	05-8641-05-M1U

BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°



LED | K 3000 | CRI 90 | W Total 41.1 | Delivered Lm 2254

- 05 Black
- M1 Opal white

	Structure	Diffuser	Code
 PMW 100-277V	05	M1	05-8252-05-M1U
 0-10V 100-277V	05	M1	05-8642-05-M1U

BODY MAT	DIF MAT	50000h	3	
AL	PMMA	L80 B20	MacAdam	360°



LED | K 3000 | CRI 90 | W Total 30.7 | Delivered Lm 2256

- 05 Black
- M1 Opal white


	Structure	Diffuser	Code
 PMW 100-277V	05	M1	05-8283-05-M1U
 0-10V 100-277V	05	M1	05-8643-05-M1U

DistanceWire Gauge

49 feetAWG15

82 feetAWG13

Maximum distance between the mini recessed canopy and the equipment depending on the section of the cable.



LedsC4

Distributed by
bover
USA INC

LedsC4 | Bover USA, INC
1231 Collier Rd, NW Suite C
Atlanta, GA 30318 USA

Light
for better
living

Important information

Due to the constant technological developments in LED technology, product technical data may vary over time. Consult specs sheet for current data.

Colours shown are approximate and may not reflect shades precisely due to possible changes linked to different materials and finishes, as well as lighting and printing factors.

Photos do not show the North American backplate.

Consult specs sheet for current data www.ledsc4.us

www.ledsc4.us
info@ledsc4.us

Instagram: [instagram.com/leds_c4/](https://www.instagram.com/leds_c4/)
Facebook: [facebook.com/ledsc4.us](https://www.facebook.com/ledsc4.us)
Linkedin: [linkedin.com/company/leds-c4](https://www.linkedin.com/company/leds-c4)
Pinterest: [pinterest.com/ledsc4/](https://www.pinterest.com/ledsc4/)