


Working Catalogue



08 Ambrosia



16 Atlas



25 Bohemia



33 Cluster



44 Dipping Light




49 Discocó



54 Djembé



72 LED-Ginger



96 Ihana



101 Jaima



119 Mercer



122 Milana



135 Pleat Box




144 Santorini



152 Soho



158 Tam Tam



166 The W



172 Vetra



175 Zenc



29 Cala



36 Copérnica



68 Funiculí



69 Funiculí Fabric



78 Ginger



104 Jaima



141 Polo



148 Scantling



162 Tam Tam



168 Theia



173 Vetra



27 Bolita



36 Copérnica



39 Dipping Light



66 Fragile



70 Funiculí



71 Funiculí Fabric



77 LED-Ginger



118 Mercer



140 Polo



168 Theia

Portable



23 Bicoca



31 Chispa



41 Dipping Light



64 FollowMe



77 LED-Ginger



150 Sips

Wall



16 Atlas



19 Aura



43 Dipping Light



53 Discocó



69 Funiculí



70 Funiculí Fabric



80 LED-Ginger



108 Konoha



114 Ledtube



118 Mercer

Wall



127 N. Ocho



128 Plaff-on!



142 Roc



149 Scantling



163 Tam Tam

Ceiling



17 Atlas



52 Discocó



59 Djembé



80 LED-Ginger



121 Mercer



128 Plaff-on!



156 Soho



20 Babila



30 Cala



92 LED-Ginger



101 Jaima



110 Lab



131 Plaff-on!



142 Roc



144 Santorini



152 Soho



170 TXL





Discover more at [marset.com](https://www.marset.com)



Ambrosia 120

Code	Finish	CCT
A704-101-15-22K	● Matt Gold	22K
A704-101-15-27K	● Matt Gold	27K
A704-101-15-30K	● Matt Gold	30K
A704-101-16-22K	● Black	22K
A704-101-16-27K	● Black	27K
A704-101-16-30K	● Black	30K

Materials: Aluminum
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: See power options supply on pg 11.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 19.2W 2200K CRI90 2116lm

Luminaire Ambrosia 22K: (Power supply not included) 1885lm

Light source Ambrosia 27K: LED SMD 24Vdc 19.2W 2700K CRI90 2028lm

Luminaire Ambrosia 27K: (Power supply not included) 1891lm

Light source Ambrosia 30K: LED SMD 24Vdc 19.2W 3000K CRI90 2256lm

Luminaire Ambrosia 30K: (Power supply not included) 1927lm

Weight: Net 5.3 lb – Gross 6.6 lb


Package: 11.4 x 3.9 x 53.1" - 4.4 lb – Vol - 1.4 ft³

3.1 x 3.1 x 50.4" - 2.2 lb – Vol - 0.4 ft³

Product notes: 24V remote power supply to be ordered separately.

Canopy not included. Supplied with 10.8 ft wire.


Suitable for damp locations. LED included



(1) The height can be increased by means of the 15.7 or 23.6" poles (max. 3 units.) They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 120 + Pole 60



Ambrosia 180

Code	Finish	CCT
A704-102-15-22K	● Matt Gold	22K
A704-102-15-27K	● Matt Gold	27K
A704-102-15-30K	● Matt Gold	30K
A704-102-16-22K	● Black	22K
A704-102-16-27K	● Black	27K
A704-102-16-30K	● Black	30K

Materials
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: See power options supply on pg 11.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2823lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2833lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2886lm

Weight: Net 6.8 lb – Gross 7.9 lb


Package: 11.4 x 3.9 x 53.2" - 4.4 lb – Vol - 1.4 ft³

3.1 x 3.1 x 74" - 3.5 lb – Vol - 0.4 ft³

Product notes: 24V remote power supply to be ordered separately.

Canopy not included. Supplied with 9.8 ft wire.

Suitable for damp locations. LED included



(1) The height can be increased by means of the 15.7 or 23.6" poles (max. 3 units.) They can be combined..

Wire installation: Hardwired / Recessed

Ambrosia 210

Code	Finish	CCT
A704-103-15-22K	● Matt Gold	22K
A704-103-15-27K	● Matt Gold	27K
A704-103-15-30K	● Matt Gold	30K
A704-103-16-22K	● Black	22K
A704-103-16-27K	● Black	27K
A704-103-16-30K	● Black	30K

Materials
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: See power options supply on pg 11.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm

Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm

Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm

Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Weight: Net 6.8 lb – Gross 7.9 lb

Package: 11.4 x 3.9 x 53.1" - 4.4 lb – Vol - 1.4 ft³


3.1 x 3.1 x 26.7" - 1.3 lb – Vol - 0.14 ft³

3.1 x 3.1 x 50.4" - 2.2 lb – Vol - 0.35 ft³

Product notes: 24V remote power supply to be ordered separately.



Canopy not included. Supplied with 12.8 ft wire.

Suitable for damp locations. LED included



(1) The height can be increased by means of the 15.7 or 23.6" poles (max. 3 units per each side.) They can be combined.

Wire installation: Hardwired / Recessed



Ambrosia 315

Code	Finish	CCT
A704-104-15-22K	● Matt Gold	22K
A704-104-15-27K	● Matt Gold	27K
A704-104-15-30K	● Matt Gold	30K
A704-104-16-22K	● Black	22K
A704-104-16-27K	● Black	27K
A704-104-16-30K	● Black	30K

Materials	Dimmable: Yes
Structure: Aluminum	Integrated dimmer: No
Diffuser: Methacrylate	Dimming protocols: See power options supply on pg 11.
Canopy: Aluminum / Steel	

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 43.2W 2200K CRI90 4761lm

Luminaire Ambrosia 22K: (Power supply not included) 4220lm

Light source Ambrosia 27K: LED SMD 24Vdc 43.2W 2700K CRI90 4563lm

Luminaire Ambrosia 27K: (Power supply not included) 4235lm

Light source Ambrosia 30K: LED SMD 24Vdc 43.2W 3000K CRI90 5076lm

Luminaire Ambrosia 30K: (Power supply not included) 4314lm

Weight: Net 11.2 lb – Gross 12.9 lb

Package: 11.4 x 3.9 x 88.6 " - 7.7 lb – Vol - 2.3 ft³


3.1 x 3.1 x 38.5 " - 1.7 lb – Vol - 0.2 ft³

3.1 x 3.1 x 74 " - 3.5 lb – Vol - 0.4 ft³

Product notes: 24V remote power supply to be ordered separately.

Canopy not included. Supplied with 12.1 ft wire.

Suitable for damp locations. LED included



(1) The height can be increased by means of the 15.7 or 23.6 " (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed

Height extension pole 16

Code	Finish
A704-005-15	● Matt Gold
A704-005-16	● Black

Materials
Structure: Metal

Product type: Accessory




Height extension pole 24

Code	Finish
A704-006-15	● Matt Gold
A704-006-16	● Black

Materials
Structure: Metal

Product type: Accessory



Canopy Ambrosia 60W / 0-10V

Code
 A666-213-15
 A666-213-16

Finish
 ● Matt Gold
 ● Black


Materials
 Structure: Metal

Product type: Ceiling

Luminaire: 120 - 277 VAC 0-10V
 Product notes:
 One canopy can feed one or two fixtures.
 (For more info check the spec sheet.)

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: 0-10V

Dimmable



Outlet Box Cover Plate

Code
 A666-219-15
 A666-219-16


Finish
 ● Matt Gold
 ● Black

Code
 968-230

Description
 Power supply 60W - 24V

Product type: Ceiling
 120 - 277 VAC 0-10V
 Product notes: The installation and location of the remote LED driver must be in accordance with the specific regulations of each country and will be the exclusive responsibility of the installation company.

Materials
 Structure: Metal





Ambrosia A 60 left

Code	Finish	CCT
A704-115-15-22K	● Matt Gold	22K
A704-115-15-27K	● Matt Gold	27K
A704-115-15-30K	● Matt Gold	30K
A704-115-16-22K	● Black	22K
A704-115-16-27K	● Black	27K
A704-115-16-30K	● Black	30K

Materials
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.


Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 9.6W 2200K CRI90 1058lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 9.6W 2700K CRI90 1014lm
 Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 9.6W 3000K CRI90 1028lm
 Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 1.3 lb – Gross 2.8 lb
 Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0,4 ft³
 3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³

Product notes: 24V remote power supply to be ordered separately.
 Suitable for damp locations. LED included



Wire installation: Hardwired / Recessed



Ambrosia A 60 right

Code	Finish	CCT
A704-116-15-22K	● Matt Gold	22K
A704-116-15-27K	● Matt Gold	27K
A704-116-15-30K	● Matt Gold	30K
A704-116-16-22K	● Black	22K
A704-116-16-27K	● Black	27K
A704-116-16-30K	● Black	30K

Materials
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.


Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 9.6W 2200K CRI90 1058lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 9.6W 2700K CRI90 1014lm
 Luminaire Ambrosia 27K: (Power supply not included)


Light source Ambrosia 30K: LED SMD 24Vdc 9.6W 3000K CRI90 1028lm
 Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 1.3 lb – Gross 2.8 lb
 Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0,4 ft³
 3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³

Product notes: 24V remote power supply to be ordered separately.
 Suitable for damp locations. LED included



Wire installation: Hardwired / Recessed



Ambrosia A 90 left

Code	Finish	CCT
A704-117-15-22K	● Matt Gold	22K
A704-117-15-27K	● Matt Gold	27K
A704-117-15-30K	● Matt Gold	30K
A704-117-16-22K	● Black	22K
A704-117-16-27K	● Black	27K
A704-117-16-30K	● Black	30K

Materials
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.


Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 14.4W 2200K CRI90 1587lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 14.4W 2700K CRI90 1521lm
 Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 14.4W 3000K CRI90 1692lm
 Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 2.6 lb – Gross 3.2 lb
 Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0,4 ft³
 3.1 x 3.1 x 38.5 " - 1.7 lb – Vol - 0.2 ft³

Product notes: 24V remote power supply to be ordered separately.
 Suitable for damp locations. LED included



Wire installation: Hardwired / Recessed



Ambrosia A 90 right

Code	Finish	CCT
A704-118-15-22K	● Matt Gold	22K
A704-118-15-27K	● Matt Gold	27K
A704-118-15-30K	● Matt Gold	30K
A704-118-16-22K	● Black	22K
A704-118-16-27K	● Black	27K
A704-118-16-30K	● Black	30K

Materials
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.


Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 14.4W 2200K CRI90 1587lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 14.4W 2700K CRI90 1521lm
 Luminaire Ambrosia 27K: (Power supply not included)


Light source Ambrosia 30K: LED SMD 24Vdc 14.4W 3000K CRI90 1692lm
 Luminaire Ambrosia 30K: (Power supply not included)

Weight: Net 2.6 lb – Gross 3.2 lb
 Package: 24 x 5.3 x 5.7 " - 1.5 lb – Vol - 0,4 ft³
 3.1 x 3.1 x 38.5 " - 1.7 lb – Vol - 0.2 ft³

Product notes: 24V remote power supply to be ordered separately.
 Suitable for damp locations. LED included



Wire installation: Hardwired / Recessed



Ambrosia A 210

Code	Finish	CCT
A704-121-15-22K	● Matt Gold	22K
A704-121-15-27K	● Matt Gold	27K
A704-121-15-30K	● Matt Gold	30K
A704-121-16-22K	● Black	22K
A704-121-16-27K	● Black	27K
A704-121-16-30K	● Black	30K

Materials
 Structure: Aluminum
 Diffuser: Methacrylate
 Canopy: Aluminum / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.



Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 28.8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28.8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28.8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Weight: Net 6.2 lb – Gross 7.9 lb
 Package: 59.8 x 5.3 x 6.5 " - 4.4 lb – Vol - 1 ft³
 3.1 x 3.1 x 26.7 " - 1.3 lb – Vol - 0.14 ft³
 3.1 x 3.1 x 50.4 " - 2.2 lb – Vol - 0.35 ft³

Product notes: 24V remote power supply to be ordered separately.
 Suitable for damp locations. LED included





Wire installation: Hardwired / Recessed

Disk accessory

Code	Finish
A704-128-15	● Matt Gold
A704-128-16	● Black

Materials
 Structure: Metal


Product type: Accessory
 Accessory used to hide the driver behind the canopy.
 Two units are required for Ambrosia A 210, one for each canopy.



Power supply Dimmable

Code	Description
968-230	Power supply 60W - 24V

120 - 277 VAC 0-10V
 Product type: Power supply



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.




Atlas

Code A34-010 Finish
○ Translucent ➔

Materials
Shade: Polycarbonate
Canopy: White polyamide
Structure: Stainless steel

Product type: Wall / Ceiling
Light source: E26 LED PAR30S 13W 36° 2700K
Weight: Net 0.7 lb – Gross 1.2 lb
Package: 7 x 8.3 x 9.5" - 1.2 lb – Vol - 0.28 ft³
Lamping not included



Wire installation: Hardwired
Canopy color: White
Cord color: Transparent






Aura

- | | |
|----------|-----------------|
| Code | Finish |
| A676-008 | ○ Transparent ➤ |
| A676-009 | ● Opal |
| A676-010 | ● Smoked ➤ |
| A676-012 | ● Copper |

Materials Dimmable: No
 Shade: Blown Glass
 Structure: Polycarbonate
 Dissipater: Aluminum

Product type: Wall
 Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
 Luminaire: 90 - 264 VAC 8.7W 448lm
 Weight: Net 1.1 lb - Gross 2.2 lb
 Package: 10.2 x 10.2 x 7.8" - 2.2 lb - Vol - 0.56 ft³
 Product notes: Suitable for damp locations
 Not suitable for ceiling mount
 Structure in black, except for the opal version, with structure in white.
 LED included



Wire installation: Hardwired




Aura Plus

Code	Finish
A676-019	○ Translucent
A676-020	● Opal
A676-021	● Smoked ➤
A676-022	● Copper

Materials
 Shade: Blown Glass
 Structure: Polycarbonate
 Dissipater: Aluminum

Dimmable: No

Product type: Wall / Ceiling
 Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
 Luminaire: 90 - 264 VAC 8.7W 470lm
 Weight: Net 1.96 lb – Gross 2.64 lb
 Package: 13 x 13 x 8.6" - 2.64 lb – Vol - 0.74 ft³
 Product notes: Suitable for damp locations
 Structure in black, except for the opal version, with structure in white.
 LED included



Wire installation: Hardwired




Spare parts

Code	Product	Finish	Spare part
A676-105	Aura	Transparent	Glass
A676-104	Aura	Opal	Glass
A676-102	Aura	Smoked	Glass
A676-103	Aura	Copper	Glass
A676-111	Aura Plus	Transparent	Glass
A676-110	Aura Plus	Opal	Glass
A676-108	Aura Plus	Smoked	Glass
A676-109	Aura Plus	Copper	Glass

Babila demonstrates that, when it comes to a design, the material can be as important as the shape. This outdoor wall sconce is of polished stainless steel, a circular object that produces a panoramic effect, reflecting its surroundings. It is not

designed to be an architectural element, but rather a simple and beautiful design that draws attention, whether on or off, as it allows us to catch a glimpse of the daily life occurring around it.




Babila 18

Code	Finish	Dimming
A706-005	● Polished stainless steel	ELV
A706-006-35	● White (RAL 9010)	ELV
A706-006-47	● Brown (RAL 8019)	ELV
A706-017	● Polished stainless steel	0-10V
A706-010-35	● White (RAL 9010)	0-10V
A706-010-47	● Brown (RAL 8019)	0-10V
A706-019	● Polished stainless steel	on/off
A706-020-35	● White (RAL 9010)	on/off
A706-020-47	● Brown (RAL 8019)	on/off


Materials
 Diffuser: Polished stainless steel
 AISI 316 or lacquered aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 Phase cut (ELV)
 0-10V (120-277V)

Product type: Wall / Ceiling
 Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
 Luminaire: 120 VAC ELV 8.7W 225lm
 120-277 VAC 0-10V 8.7W 225lm
 120 VAC AC LED on/off 8W 225lm
 Weight: Net 1.8 lb – Gross 2.6 lb
 Package: 11.4 x 12 x 4.9" - 2.6 lb – Vol - 0.35 ft³
 LED included



Wire installation: Hardwired




Babila 28


Code	Finish	Dimming
A706-007	Polished stainless steel	ELV
A706-008-35	White (RAL 9010)	ELV
A706-008-47	Brown (RAL 8019)	ELV
A706-011	Polished stainless steel	0-10V
A706-018-35	White (RAL 9010)	0-10V
A706-009-47	Brown (RAL 8019)	0-10V
A706-021	Polished stainless steel	on/off
A706-022-35	White (RAL 9010)	on/off
A076-022-47	Brown (RAL 8019)	on/off

Materials: Polished stainless steel / AISI 316 or lacquered aluminum
 Diffuser: Polished stainless steel
 Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)
 0-10V (120-277V)

Product type: Wall / Ceiling
 Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
 Luminaire: 120 VAC ELV 8.7W 185lm
 120-277 VAC 0-10V 8.7W 185lm
 120 VAC AC LED on/off 8W 185lm
 Weight: Net 3 lb – Gross 4.6 lb
 Package: 15.4 x 15.7 x 4.9" - 4.6 lb Vol - 0.7 ft³
 LED included



Wire installation: Hardwired





The Bicoca is born with the optimism of brightening life and accompanying the good times, wherever you go. This colorful, lightweight portable lamp projects an intimate light that adds warmth to all your personal spaces.

Made of polycarbonate, Bicoca begins with an overlay of basic geometric figures, with a tiltable shade to direct the light. Two accessories increase the applicability and versatility of the lamp.



Discover more at marset.com

DESIGN PLUS
powered by: light+building


Bicoca

Code	Finish
A680-055	● Off-white (RAL 9001) ➤
A680-056	● Anthracite (RAL 7026) ➤
A680-057	● Red wine (RAL 3005) ➤
A680-058	● Yellow (RAL 1032) ➤
A680-059	● Light blue (PANTONE 7542C) ➤
A680-060	● Pale pink (PANTONE 5015C) ➤

Materials
Shade: Polycarbonate
Body: Polycarbonate
Diffuser: Opal polycarbonate

Dimmable: Yes
Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 1A 3.5W 2700K CRI90 398lm
Luminaire: in 5 Vdc 1.5A 241lm
Weight: Net 1.01 lb – Gross 2.2 lb
Package: Ø6.29 x 11.81" – 2.2 lb Vol – 0.21 ft³ (1U)
20 x 11.8 x 13.4" – 15 lb Vol – 1.8 ft³ (6U)
Product notes: Sold in multiples of 6.
Charging cable included (USB to USB-C). Power adapter not included.
LED included



Dimmer

 Under approval process. For latest certification status check the spec sheet.

Switch location: Body
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power




Magnet accessory

Code A680-008 Finish ● Inox

Materials
Structure: Neodymium magnet

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.04 lb
Package: 4.72 x 6.89 x 0.39 " - 0.04 lb – Vol - 0.035 ft³




Armrest accessory + magnet

Code A680-007 Finish ● Grey

Materials
Structure: Fabric with metal counterweight

Product type: Accessory
Weight: Net 2 lb – Gross 2.2 lb
Package: 6.3 x 5.5 x 3.5 " - 2.2 lb – Vol - 0.07 ft³




Spare parts

Code	Product
R680-014	Bicoca
R968-002-USA	Bicoca
R961-057	Bicoca

Spare part
Battery
Black power adapter
Usb type C cable black

At first glance, the Bohemia appears to be made of blown glass. However, the lamp's large size ruled out that material. Instead, the designer settled on polycarbonate to create an exciting, organic, translucent profile that integrates two volumes into

a single shape. The design allows for a large shade in different colors with a white interior for pristine reflection.



Discover more at marset.com




Bohemia 84

Code	Finish
A698-010	● Green
A698-011	● Violet
A698-012	● Amber


Materials
 Shade: Rotomoulded Polycarbonate
 Diffuser: Opal methacrylate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: 120 VAC ELV 26W 1619lm
 120 - 277 VAC 0-10V 26W 1619lm
 Weight: Net 28 lb – Gross 44 lb
 Package: 37 x 37 x 20" – 44 lb Vol – 17.6 ft³
 LED included



Dimmable




Cable length: 8.2 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black

Bohemia 84 E26

Code	Finish
A698-016	● Green 
A698-017	● Violet 
A698-018	● Amber 

Materials
Shade: Rotomoulded Polycarbonate

Product type: Pendant
Light source: E26 LED GLOBE 20W
Weight: Net 28 lb – Gross 39 lb
Package: 37 x 37 x 20 " – 39 lb Vol – 17.6 ft³
Lamping not included



Cable length: 8.2 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



Bolita, kaschkasch

A technologically innovative design that brings back the sense of touch. Moving the Bolita dims or boosts the light, an interplay that captivates with its beautiful visual effect. Bolita seeks out that user interaction.

The idea of Florian and Sebastian at the kaschkasch studio was to design a lamp in which the dimming process was mechanical and not electronic.



Discover more at [marset.com](https://www.marset.com)




Bolita

Code A695-007 Finish ○ White (RAL 9011)

Materials Dimmable: Yes
Base: Steel Integrated dimmer: Yes
Diffuser: Opal blown glass Dimming protocols: Analog, dimmed via glass movement.

Product type: Table
Light Source: LED SMD 24Vdc 6.5W 2700K CRI90 579lm
Luminaire: 120 VAC 8.7W 157lm
Weight: Net 0.9 lb – Gross 3.3 lb
Package: 9 x 7 x 5" – 3.3 lb Vol – 0.18 ft³ (1u)
 15 x 16.7 x 17.7" – 11 lb Vol – 1 ft³ (4u)
Product note: Sold in multiples of 4.
LED included



Cable length: 4.9 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Base



Spare parts

Code
R695-001

Product
Bolita

Finish
-


Spare part
Glass



Cala, Joan Gaspar

The beauty exuded by the Cala stems from its simple, synthetic and essential form: a shade that embraces the light without containing it, letting it escape to yield very warm lighting.

With a structure made of oak or black lacquered metal, the Cala is an iconic Marset design defined by that most valuable of pairings: form and function.




Cala P165

Code A645-020 Finish
● Oak - Pearl White ➤

Materials
Shade: White polyester PET, textilene
Diffuser: Methacrylate
Structure: Varnished oak

Product type: Floor
Light source: 3x E26 LED TYPE A 11W
Weight: Net 11 lb – Gross 22.7 lb
Package: 27.2 x 27.2 x 14.5" - 11.7 lb – Vol - 6.4 ft³
19.7 x 5 x 61" - 11 lb – Vol - 3.5 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Cala Metal P145

Code A645-060-39 Finish ● Black

Materials
Shade: White polyester PET, textilene
Diffuser: Methacrylate
Structure: Iron

Product type: Floor
Light source: E26 LED TYPE A 11W
Weight: Net 12.8 lb – Gross 20.5 lb
Package: 23.6 x 23.6 x 11.8" - 9.9 lb – Vol - 3.8 ft³
19.7 x 5 x 52" - 12 lb – Vol - 3.18 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Cala 140 IP65

Code A645-014 Finish ● Iroko - Brown ➤

Materials
Shade: Polyethilene , Textilene
Structure: Iroko wood

Product type: Floor
Light source: 2x E26 LED TYPE A 11W
Weight: Net 23.6 lb – Gross 24.6 lb
Package: 22 x 22 x 11.4" - 11.4 lb – Vol - 3.2 ft³
18.5 x 4.7 x 49.6" - 13.2 lb – Vol - 2.5 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built in the shade



Its design evokes a high-quality garage lamp, lightweight and useful, with three dimming levels. It's sophisticated and warm, decidedly designed to accompany.

Its structure is protected by a grid that revolves around the light source, an original touch. A built-in hook in the base allows it to be hung via the included cord.



Discover more at marset.com


Chispa

Code	Finish
A703-001	● Black (RAL 9004) ➤
A703-002	● Blue (RAL DESIGN 230 20 20) ➤
A703-003	● Green (RAL 6009) ➤
A703-004	● Orange (RAL 2010) ➤

Materials
 Base: Polycarbonate
 Diffuser: Opal Polyethylene
 Accessory: Rope cord with metal hook.

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer Type: 3-step dimmer

Product type: Table / Portable
 Light source: LED SMD 0.7A 2.7W 2700K CRI90 216lm
 Luminaire: in 5 Vdc 1.5A 110lm
 Weight: Net 1.1 lb – Gross 1.7 lb
 Package: 5.5 x 5.5 x 11" – 1.7 lb Vol – 0.17 ft³ (1u)
 11.8 x 11.8 x 9.4" – 7 lb Vol – 0.7 ft³ (4u)
 Product notes: Sold in multiples of 4.
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer

Suitable for wet locations

Under approval process. For latest certification status check the spec sheet.



Switch location: Body
 Charging time 10 h

Battery life time:
 7 hours in peak power
 14 hours in half power
 28 hours in a quarter power

Spare parts

Code	Product
R703-001	Chispa
R968-002-USA	Chispa
R961-057	Chispa

Spare part
Battery
Black power adapter
Usb type C cable black



Cluster, Accessory

The cluster gives you absolute freedom to design the light you desire. With it, you can illuminate large spaces and create different compositions.



Take into account the total power in watts, the power of the driver, and the wire entry points of the canopy. The total wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required. Finally, the number of lamps installed in a single canopy cannot exceed the number of wire entry points of that canopy. Customize your space with our Dipping Light cluster configurator at configurator.marset.com/dipping-light


Circular Canopy 20W

Code A693-013 Finish ● Black

Materials
Structure: Painted iron

Dimmable: No

Product type: Accessory
Luminaire: 120 - 277 VAC 24W (max.)
Weight: Net 1.7 lb - Gross 2.2 lb
Package: 9 x 8.3 x 3.5" - 2.2 lb - Vol - 0.14 ft³
Product notes: Canopy for 24V luminaires.



Wire installation: Hardwired
Canopy color: Black - Entry points: 3


Circular Canopy 50W

Code A693-015 Finish ● Black Dimming 0-10V

Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming Protocols: 0-10V (120-277V)

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 2.5 lb - Gross 3.08 lb
Package: 9 x 8.2 x 3.5" - 3.08 lb - Vol - 0.14 ft³
Product notes: Canopy for 24V luminaires.




Wire installation: Hardwired
Canopy color: Black - Entry points: 5

Rectangular Canopy 50W

Code A693-017 Finish ● Black Dimming 0-10V

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 4.6 lb – Gross 5.5 lb
Package: 16.3 x 8.3 x 2.8" - 5.5 lb – Vol - 0.25 ft³
Product notes: Canopy for 24V luminaires.




Wire installation: Hardwired
Canopy color: Black - Entry points: 9

Circular Canopy 50W

Code A693-019 Finish ● Black Dimming 0-10V

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 58W (max.)
Weight: Net 2.5 lb – Gross 5.5 lb
Package: 16 x 15.7 x 3" - 5.5 lb – Vol - 0.38 ft³
Product notes: Canopy for 24V luminaires.




Wire installation: Hardwired
Canopy color: Black - Entry points: 9

Circular Canopy 100W

Code A693-021 Finish ● Black Dimming 0-10V

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 120 - 277 VAC 0-10V 114W (max.)
Weight: Net 7.2 lb – Gross 8.3 lb
Package: 16.5 x 15.7 x 3" - 8.3 lb – Vol - 0.35 ft³
Product notes: Canopy for 24V luminaires.




Wire installation: Hardwired
Canopy color: Black - Entry points: 19

Hook Accessory

Code A693-007 Finish ● Black

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0.02 lb – Gross 0.02 lb
Package: 0.5 x 0.5 x 1.7" - 0.02 lb – Vol - 0.035 ft³
Product notes: This accessory is included when purchasing the 24V pendants.





The Copérnica collection consists of desktop and floor lamps that use counterweights of mixed materials and density, such as steel and aluminum, allowing one to move the lamp with great precision and providing a wide range of heights,

distances, and adjustments to suit one's taste. The Copérnica draws minimalist structures in space, as if it were a canvas, and the carefully selected color schemes add soft chromatic touches to the ensemble.



Discover more at marset.com




Copérnica M

- | | |
|----------|-------------------------------|
| Code | Finish |
| A686-046 | ● Graphite-Golden-Black |
| A686-047 | ● Graphite-Satin Nickel-Black |
| A686-048 | ● Graphite-Red-Black |

- | | |
|----------------------|---------------------------------------|
| Materials | Dimmable: Yes |
| Structure: Steel | Integrated dimmer: Yes |
| Base: Steel | Dimming protocols: 3 positions dimmer |
| Counterweight: Steel | |
| Diffuser: Aluminum | |

- Product type: Table
 Light Source: LED SMD 24Vdc 4.7W 2700K CRI90 491lm
 Luminaire: 85 - 264 VAC 7W 416lm
 Weight: Net 7.7 lb – Gross 13.4 lb
 Package: 44.4 x 9.8 x 6.7 " – 6.83 lb Vol – 1.68 ft³
 14.2 x 14.2 x 1.18 " – 6.6 lb Vol – 0.14 ft³
 LED included



- Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: Underside of shade.




Copérnica P

Code	Finish
A686-052	 Graphite-Golden-Black
A686-053	 Graphite-Satin Nickel-Black
A686-054	 Graphite-Red-Black

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: Yes
Base: Steel	Dimming protocols: 3 positions dimmer
Counterweight: Steel	
Diffuser: Aluminum	

Product type: Floor
Light Source: LED SMD 24Vdc 4.7W 2700K CRI90 491lm
Luminaire: 85 - 264 VAC 7W 416lm
Weight: Net 8.8 lb – Gross 15 lb
Package: 64.6 x 9.8 x 6.7" – 9 lb Vol – 2.3 ft³
14 x 14 x 1.2" – 6 lb Vol – 0.14 ft³

LED included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Underside of shade.






Dipping Light, Jordi Canudas

Beyond its function as a lamp, the Dipping Light seeks to excite. When it's turned on, its different shades of paint sift the light, creating a magical ambient effect. When it's off, its colored glass sphere is an object charged with beauty, and an

eye-catching design piece for a shelf, bedside, or table. The various layers of paint draw concentric circles and capture the light, moderating its intensity. The paint becomes the shade, colouring and texturing the light.



Discover more at marset.com




Dipping Light

Code	Finish
A691-013	White - Brushed Brass ➤
A691-300	White - Graphite ➤
A691-014	Blue - Brushed Brass ➤
A691-301	Blue - Graphite ➤
A691-015	Green - Brushed Brass ➤
A691-302	Green - Graphite ➤
A691-016	Amber - Brushed Brass ➤
A691-303	Amber - Graphite ➤
A691-017	Pink - Brushed Brass ➤
A691-304	Pink - Graphite ➤

Materials Dimmable: No
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Product type: Table
 Light Source: LED SMD 700mA 2.2W 2700K CRI80 243lm
 Luminaire: 120 - 240 VAC 4W 123lm
 Weight: Net 2.6 lb – Gross 4 lb
 Package: 13.7 x 13.7 x 7" – 4 lb Vol – 0.38 ft³



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line


Dipping Light S

Code	Finish
A691-306	White - Brushed Brass
A691-307	White - Graphite
A691-308	Blue - Brushed Brass
A691-309	Blue - Graphite
A691-310	Green - Brushed Brass
A691-311	Green - Graphite
A691-312	Amber - Brushed Brass
A691-313	Amber - Graphite
A691-314	Pink - Brushed Brass
A691-315	Pink - Graphite


Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 765lm
 Luminaire: 85 - 264 VAC 11W
 Weight: Net 3 lb – Gross 5.5 lb
 Package: 6.7 x 13 x 6.7" – 3 lb Vol – 0.3 ft³
 9.8 x 9.8 x 12.2" – 2.4 lb Vol – 0.7 ft³
 LED included



Cable length: 5.75 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line




Dipping Light M

Code	Finish
A691-019	White - Brushed Brass
A691-318	White - Graphite
A691-020	Blue - Brushed Brass
A691-319	Blue - Graphite
A691-021	Green - Brushed Brass
A691-320	Green - Graphite
A691-022	Amber - Brushed Brass
A691-321	Amber - Graphite
A691-023	Pink - Brushed Brass
A691-322	Pink - Graphite

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 765lm
 Luminaire: 85 - 264 VAC 11W 312lm
 Weight: Net 7.3 lb – Gross 11.7 lb
 Package: 13.4 x 10.2 x 10.2" – 6.39 lb Vol – 0.078 ft³
 16.1 x 16.1 x 16.1" – 5.29 lb Vol – 2.4 ft³
 LED included



Cable length: 5.75 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line




Dipping Light Portable


Code	Finish
A691-530	● White - Brushed Brass
A691-532	● Blue - Brushed Brass
A691-534	● Green - Brushed Brass
A691-536	● Amber - Brushed Brass
A691-538	● Pink - Brushed Brass

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer Type: 3-step dimmer

Product type: Table
 Light source: LED SMD 1A 3.5W 2700K CRI90 216lm
 Luminaire: in 5 Vdc 1.5A 123lm
 Weight: Net 2.6 lb – Gross 3.3 lb
 Package: 7 x 7 x 14 " – 3.3 lb Vol – 0.4 ft³
 LED included



 Under approval process. For latest certification status check the spec sheet.

Switch location: Body
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power




Disk accessory + magnet

Code	Finish
A691-097	● Black

Materials
 Structure: Metal counterweight

Product type: Accessory
 Weight: Net 1.1 lb – Gross 1.3 lb
 Package: 6 x 5.5 x 3.5 " - 1.3 lb – Vol - 0.07 ft³




Magnet accessory

Code	Finish
A680-008	● Inox

Materials
 Structure: Neodymium magnet

Product type: Accessory
 Weight: Net 0.04 lb – Gross 0.04 lb
 Package: 4.72 x 6.89 x 0.39 " - 0.04 lb – Vol - 0.035 ft³






Dipping Light A1-13

Code	Finish
A691-336	White - Brushed Brass
A691-338	Blue - Brushed Brass
A691-340	Green - Brushed Brass
A691-342	Amber - Brushed Brass
A691-344	Pink - Brushed Brass

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Wall
 Light source: LED COB 500mA 5.68W 2700K CRI90 645lm
 Luminaire: 120 VAC ELV 9W
 Weight: Net 2 lb – Gross 3.3 lb
 Package: 7 x 7 x 11" – 3.3 lb Vol – 0.04 ft³
 Product notes: 0-10V dimming upon request.
 LED included



Dimmable



Wire installation: Hardwired


Dipping Light A2-13

Code	Finish
A691-348	White - Brushed Brass
A691-349	White - Graphite
A691-350	Blue - Brushed Brass
A691-351	Blue - Graphite
A691-352	Green - Brushed Brass
A691-353	Green - Graphite
A691-354	Amber - Brushed Brass
A691-355	Amber - Graphite
A691-356	Pink - Brushed Brass
A691-357	Pink - Graphite

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Wall
 Light source: LED SMD 500mA 8.6W 2700K CRI90 765lm
 Luminaire: 120 VAC ELV 7.5W
 Weight: Net 2 lb – Gross 3.3 lb
 Package: 7 x 7 x 11" – 3.3 lb Vol – 0.04 ft³
 Product notes: 0-10V dimming upon request.
 LED included



Dimmable



Wire installation: Hardwired


Dipping Light 13

Code	Finish	Dimming
A691-360	White	on/off
A691-361	Blue	on/off
A691-362	Green	on/off
A691-363	Amber	on/off
A691-364	Pink	on/off
A691-396	White	0-10V
A691-397	Blue	0-10V
A691-398	Green	0-10V
A691-399	Amber	0-10V
A691-410	Pink	0-10V

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: 0-10V

Product type: Pendant
 Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
 Luminaire: 90 - 264 VAC 6W 203lm
 110 - 127 VAC 0-10V 6W 203lm
 Weight: Net 1.7 lb – Gross 2.86 lb
 Package: 8.6 x 8.6 x 9" – 2.86 lb Vol – 0.35 ft³
 LED included



Dimmable



Cable length: 6.7 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




Dipping Light 13 - 24V

Code	Finish
A691-250	White
A691-251	Blue
A691-252	Green
A691-253	Amber
A691-254	Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dependent on purchased power supply. See Cluster accessory, page 35.


Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 203lm
 Weight: Net 1.3 lb – Gross 2.86 lb
 Package: 8.6 x 8.6 x 9" – 2.86 lb Vol – 0.35 ft³
 Product notes: Use with cluster accessory, see pg 33, 34.
 1 pc. hook accessory included.
 LED included



Dimmable



Cable length: 13.1 ft
 Wire installation: Hardwired
 Cord color: Black




Dipping Light 20

Code	Finish	Dimming
A691-366	White	on/off
A691-367	Blue	on/off
A691-368	Green	on/off
A691-369	Amber	on/off
A691-370	Pink	on/off
A691-412	White	0-10V
A691-413	Blue	0-10V
A691-414	Green	0-10V
A691-415	Amber	0-10V
A691-416	Pink	0-10V


Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: 0-10V

Product type: Pendant
 Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
 Luminaire: 90 - 264 VAC 6W 231lm
 110 - 127 VAC 0-10V 6W 231lm
 Weight: Net 2.6 lb – Gross 3.7 lb
 Package: 13 x 10.2 x 10.2" – 3.7 lb Vol – 0.7 ft³
 LED included



Cable length: 6.7 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



Dipping Light 20 - 24V

Code	Finish
A691-270	White
A691-271	Blue
A691-272	Green
A691-273	Amber
A691-274	Pink


Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dependent on purchased power supply. See Cluster accessory, page 35.

Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 231lm
 Weight: Net 2.4 lb – Gross 4.4 lb
 Package: 13 x 10.2 x 10.2" – 4.4 lb Vol – 0.7 ft³
 Product notes: Use with cluster accessory, see pg 33, 34.
 1 pc. hook accessory included.
 LED included



Cable length: 13.1 ft
 Wire installation: Hardwired
 Cord color: Black




Dipping Light 30

Code	Finish	Dimming
A691-372	White	ELV
A691-373	Blue	ELV
A691-374	Green	ELV
A691-375	Amber	ELV
A691-376	Pink	ELV
A691-418	White	0-10V
A691-419	Blue	0-10V
A691-420	Green	0-10V
A691-421	Amber	0-10V
A691-422	Pink	0-10V

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 Phase cut (ELV)
 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 100 - 120 VAC ELV 14W 379lm
 110 - 127 VAC 0-10V 14W 379lm
 Weight: Net 5.2 lb – Gross 8 lb
 Package: 16 x 15.7 x 16" – 8 lb Vol – 2.47 ft³
 LED included



Dimmable



Cable length: 6.7 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




Dipping Light 30 - 24V

Code	Finish
A691-290	White
A691-291	Blue
A691-292	Green
A691-293	Amber
A691-294	Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dependent on purchased power supply. See Cluster Accessory, page 35.


Product type: Pendant
 Light source: LED SMD 24Vdc 11.5W 2700K CRI90 1024lm
 Luminaire: (Power supply not included) 379lm
 Weight: Net 4.4 lb – Gross 7.3 lb
 Package: 16 x 15.7 x 16" – 7.3 lb Vol – 2.47 ft³
 Product notes: Use with cluster accessory, see pg 33, 34.
 1 pc. hook accessory included.
 LED included



Dimmable



Cable length: 13.1 ft
 Wire installation: Hardwired
 Cord color: Black



Dipping Light 40 NEW

Code	Finish	Dimming	Price
A691-550-35-27K	● White	ELV	
A691-550-48-27K	● Blue	ELV	
A691-550-45-27K	● Green	ELV	
A691-550-30-27K	● Amber	ELV	
A691-550-44-27K	● Pink	ELV	
A691-551-35-27K	● White	ELV + 0-10V	
A691-551-48-27K	● Blue	ELV + 0-10V	
A691-551-45-27K	● Green	ELV + 0-10V	
A691-551-30-27K	● Amber	ELV + 0-10V	
A691-551-44-27K	● Pink	ELV + 0-10V	

Materials

Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes

Integrated dimmer: No
 Dimming protocols:
 ELV
 ELV + 0-10V

Product type: Pendant


Light source: LED COB 700mA 23.7W 2700K CRI90 3280lm

Luminaire: 120 VAC 27.5W

Weight: Net 9.3 lb – Gross 14.3 lb

Package: 21.7 x 21.7 x 22.4 " – 14.33 lb Vol – 6 ft³


LED included



Dimmable



Cable length: 9.8 ft
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black



Spare parts

Code	Product	Finish	Spare part
A691-402	Dipping light	White	Glass
A691-401	Dipping light	Blue	Glass
A691-405	Dipping light	Green	Glass
R691-005	Dipping light	Amber	Glass
A691-404	Dipping light	Pink	Glass
A691-509	Dipping light S	White	Glass
A691-510	Dipping light S	Blue	Glass
A691-511	Dipping light S	Green	Glass
A691-512	Dipping light S	Amber	Glass
A691-514	Dipping light S	Pink	Glass
A691-101	Dipping light M	White	Glass
A691-102	Dipping light M	Blue	Glass
A691-103	Dipping light M	Green	Glass
A691-104	Dipping light M	Amber	Glass
A691-105	Dipping light M	Pink	Glass
R691-012	Dipping light A	White	Glass
R691-013	Dipping light A	Blue	Glass
R691-014	Dipping light A	Green	Glass
R691-015	Dipping light A	Amber	Glass
R691-016	Dipping light A	Pink	Glass
R691-018	Dipping Light 13	White	Glass
R691-019	Dipping Light 13	Blue	Glass
R691-020	Dipping Light 13	Green	Glass
R691-021	Dipping Light 13	Amber	Glass
R691-022	Dipping Light 13	Pink	Glass
R691-024	Dipping Light 20	White	Glass
R691-025	Dipping Light 20	Blue	Glass
R691-026	Dipping Light 20	Green	Glass
R691-027	Dipping Light 20	Amber	Glass
R691-028	Dipping Light 20	Pink	Glass
R691-030	Dipping Light 30	White	Glass
R691-031	Dipping Light 30	Blue	Glass
R691-032	Dipping Light 30	Green	Glass
R691-033	Dipping Light 30	Amber	Glass
R691-034	Dipping Light 30	Pink	Glass
R691-064	Dipping Light 40	White	Glass
R691-065	Dipping Light 40	Blue	Glass
R691-066	Dipping Light 40	Green	Glass
R691-067	Dipping Light 40	Amber	Glass
R691-068	Dipping Light 40	Pink	Glass
R680-014	Dipping Light portable		Battery
R968-002-USA	Dipping Light portable		Black power adapter
R961-057	Dipping Light portable		Usb type C cable black




Discocó 35

Code	Finish
A620-055	● White (RAL 9003) ➤
A620-127	● Matte Grey (RAL 7037)
A620-128	● Matte Beige (RAL 1001)
A620-083	● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: E12 LED TYPE G16.5 5W
Weight: Net 3.3 lb - Gross 5.7 lb
Package: 33.8 x 7 x 7.4" - 5.7 lb - Vol - 1.06 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White





Discocó 53

Code	Finish
A620-005	White (RAL 9003) ➤
A620-129	Matte Grey (RAL 7037)
A620-130	Matte Beige (RAL 1001)
A620-084	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: E26 LED TYPE A 11W
Weight: Net 6.17 lb – Gross 10.4 lb
Package: 42.5 x 10.2 x 10.6 " - 10.4 lb – Vol - 2.82 ft³
Lamping not included





Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White

Discocó 68

Code	Finish
A620-122	White (RAL 9003) ➤
A620-131	Matte Grey (RAL 7037)
A620-132	Matte Beige (RAL 1001)
A620-145	Black - Gold (RAL 9004 - Gold)
A620-162	American oak-Black chrome ➤

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 3x E26 LED TYPE A 11W
Weight: Net 10.1 lb – Gross 16.5 lb
Package: 49.2 x 12.9 x 11.02 " - 16.5 lb – Vol - 4.06 ft³
Product notes: For the wood version, the discs are made of pressed American oak of 0.16". Black chrome sphere.
Lamping not included




Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black (American oak version), White (all the rest)
Canopy Color: Black (American oak version), White (all the rest)

Discocó 88

Code	Finish
A620-006	White (RAL 9003) ➤
A620-133	Matte Grey (RAL 7037)
A620-134	Matte Beige (RAL 1001)
A620-085	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 3x E26 LED TYPE A 11W
Weight: Net 14.8 lb – Gross 23.4 lb
Package: 52.7 x 12.2 x 16.5" - 23.4 lb – Vol - 6 ft³
Lamping not included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White




Discocó 132


Code	Finish
A620-047	White (RAL 9003) ➤
A620-135	Matte Grey (RAL 7037)
A620-136	Matte Beige (RAL 1001)
A620-086	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: 6x E26 LED TYPE A 11W
Weight: Net 40.8 lb – Gross 52.9 lb
Package: 47.6 x 16.1 x 16.1" - 30.9 lb – Vol - 7.06 ft³
17.7 x 16.5 x 16.5" - 22 lb – Vol - 2.82 ft³
Lamping not included



Cable length: 11.5 ft
Wire installation: Hardwired
Cord color: White
Canopy color: White




Discocó C53


Code Finish
A620-065 ● White (RAL 9003) ➤
A620-087 ● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Ceiling
Light source: E26 LED TYPE A 11W
Weight: Net 4.9 lb – Gross 8.1 lb
Package: 33.8 x 10.6 x 8.6 " - 8.1 lb – Vol - 1.76 ft³
Lamping not included



Wire installation: Hardwired




Discocó C68


Code Finish
A620-147 ● White (RAL 9003) ➤
A620-146 ● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Ceiling
Light source: 3x E26 LED TYPE A 11W
Weight: Net 8.8 lb – Gross 15.4 lb
Package: 42.9 x 13 x 10.6 " - 15.4 lb – Vol - 3.42 ft³
Lamping not included



Wire installation: Hardwired




Discocó A

Code
A620-089
A620-093

Finish
● White (RAL 9003) ➤
● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Wall
Light source: 2x E12 LED TYPE G16.5 5W
Weight: Net 2.6 lb – Gross 3.3 lb
Package: 23 x 7.5 x 6" - 3.3 lb – Vol - 0.7 ft³
Lamping not included



Wire installation: Hardwired



Djembé, Joan Gaspar

Using a rotomolding technique allowed the designer, Joan Gaspar, to design a fixture with vastly different interiors and exteriors: its outside recalls the texture of a stone, giving off a perception of great weight, emphasized by its volume. In the

spacious interior you'll find a smooth, white space perfect for the reflection of light. Djembé is a lamp designed for use in public spaces that seeks to bring beauty and an unbeatable quality of light.



Discover more at marset.com


Djembé 42.21

Code	Finish	Dimming
A681-291	White (RAL 1013)	ELV
A681-292	Grey (RAL 7022)	ELV
A681-293	Red (RAL 3011)	ELV
A681-294	Sky Blue (PANTONE 7542C)	ELV
A681-380	White (RAL 1013)	0-10v
A681-381	Grey (RAL 7022)	0-10v
A681-382	Red (RAL 3011)	0-10v
A681-383	Sky Blue (PANTONE 7542C)	0-10v

Materials: Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)
0-10v

Product type: Pendant
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: 90 - 135 VAC ELV 19W 955lm
120 - 277 VAC 0-10V 19W 955lm
Weight: Net 6.6 lb - Gross 9.7 lb
Package: 17.3 x 17.3 x 12" - 9.7 lb Vol - 2.11 ft³
Product notes: 3000K available upon request
LED included




Dimmable



Cable length: 6.56 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black


Djembé 42.28

Code	Finish	Dimming
A681-295	White (RAL 1013) 	ELV
A681-296	Grey (RAL 7022)	ELV
A681-297	Red (RAL 3011)	ELV
A681-298	Sky Blue (PANTONE 7542C)	ELV
A681-384	White (RAL 1013)	0-10v
A681-385	Grey (RAL 7022)	0-10v
A681-386	Red (RAL 3011)	0-10v
A681-387	Sky Blue (PANTONE 7542C)	0-10v

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)
 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: 90 - 135 VAC ELV 19W 925lm
 120 - 277 VAC 0-10V 19W 925lm
 Weight: Net 6.6 lb – Gross 11 lb
 Package: 17.3 x 17.3 x 12.6" – 11 lb Vol – 2.118 ft³
 Product notes: 3000K available upon request
 LED included



Cable length: 6.56 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




Djembé 65.23

Code	Finish
A681-388	White (RAL 1013) 
A681-389	Grey (RAL 7022)
A681-390	Red (RAL 3011)
A681-391	Sky Blue (PANTONE 7542C)

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: Only 120 VAC ELV 26W 1843lm
 120 - 277 VAC 0-10V 26W 1843lm
 Weight: Net 11 lb – Gross 16.3 lb
 Package: 25.6 x 25.6 x 11" – 16.3 lb Vol – 4.23 ft³
 Product notes: 3000K available upon request
 LED included



Cable length: 6.56 ft
 Wire installation: Hardwired

Cord color: Black
 Canopy color: Black




Djembé 65.35

Code	Finish
A681-392	White (RAL 1013) 
A681-393	Grey (RAL 7022)
A681-394	Red (RAL 3011)
A681-395	Sky Blue (PANTONE 7542C)

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: Only 120 VAC ELV 26W 1845lm
 120 - 277 VAC 0-10V 26W 1845lm
 Weight: Net 13.4 lb – Gross 18.7 lb
 Package: 25.6 x 25.6 x 16.5" – 18.7 lb Vol – 6.35 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable



Cable length: 6.56 ft
 Wire installation: Hardwired

Cord color: Black
 Canopy color: Black




Djembé 65.45

Code	Finish
A681-396	White (RAL 1013) 
A681-397	Grey (RAL 7022)
A681-398	Red (RAL 3011)
A681-399	Sky Blue (PANTONE 7542C)

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: Only 120 VAC ELV 26W 1770lm
 120 - 277 VAC 0-10V 26W 1770lm
 Weight: Net 15.2 lb – Gross 20.5 lb
 Package: 25.6 x 25.6 x 19.3" – 20.5 lb Vol – 7.06 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable



Cable length: 6.56 ft
 Wire installation: Hardwired

Cord color: Black
 Canopy color: Black



Djembé 100.38

Code	Finish
A681-506	White (RAL 1013) 
A681-507	Grey (RAL 7022) 
A681-508	Red (RAL 3011) 
A681-509	Sky Blue (PANTONE 7542C) 

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Pendant

Light Source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm

Luminaire: Only 120 VAC ELV 42W 2519lm


120 - 277 VAC 0-10V 42W 2519lm

Weight: Net 22 lb – Gross 41.9 lb

Package: 45.2 x 45.2 x 20 " – 41.9 lb Vol – 24.7 ft³

Product notes: 3000K available upon request

LED included



Dimmable 



Cable length: 6.56 ft
Wire installation: Hardwired

Cord color: Black
Canopy color: Black






Djembé C42.13

Code	Finish	Dimming
A681-136	White (RAL 1013) ➤	ELV
A681-137	Grey (RAL 7022) ➤	ELV
A681-138	Red (RAL 3011)	ELV
A681-139	Sky Blue (PANTONE 7542C)	ELV
A681-312	White (RAL 1013)	0-10v
A681-313	Grey (RAL 7022)	0-10v
A681-314	Red (RAL 3011)	0-10v
A681-315	Sky Blue (PANTONE 7542C)	0-10v

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 Phase cut (ELV)
 0-10V

Product type: Ceiling
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: Only 120 VAC ELV 19W 846lm
 120 - 277 VAC 0-10V 19W 846lm
 Weight: Net 5.3 lb – Gross 7.7 lb
 Package: 17.3 x 17.3 x 7.4 " – 7.7 lb Vol – 1.41 ft³
 Product notes: 3000K available upon request
 LED included



Wire installation: Hardwired




Djembé C42.21

Code	Finish	Dimming
A681-140	White (RAL 1013) ➤	ELV
A681-141	Grey (RAL 7022) ➤	ELV
A681-142	Red (RAL 3011)	ELV
A681-143	Sky Blue (PANTONE 7542C)	ELV
A681-316	White (RAL 1013)	0-10v
A681-317	Grey (RAL 7022)	0-10v
A681-318	Red (RAL 3011)	0-10v
A681-319	Sky Blue (PANTONE 7542C)	0-10v

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 Phase cut (ELV)
 0-10V



Product type: Ceiling
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: Only 120 VAC ELV 19W 955lm
 120 - 277 VAC 0-10V 19W 955lm
 Weight: Net 6.6 lb – Gross 9.4 lb
 Package: 17.3 x 17.3 x 9.8 " – 9.4 lb Vol – 1.765 ft³
 Product notes: 3000K available upon request
 LED included



Wire installation: Hardwired




Djembé C 42.28

Code	Finish	Dimming
A681-144	White (RAL 1013) 	ELV
A681-145	Grey (RAL 7022) 	ELV
A681-146	Red (RAL 3011)	ELV
A681-147	Sky Blue (PANTONE 7542C)	ELV
A681-320	White (RAL 1013)	0-10v
A681-321	Grey (RAL 7022)	0-10v
A681-322	Red (RAL 3011)	0-10v
A681-323	Sky Blue (PANTONE 7542C)	0-10v

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)
 0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
Luminaire: Only 120 VAC ELV 19W 925lm
 120 - 277 VAC 0-10V 19W 925lm
Weight: Net 6.6 lb – Gross 11.5 lb
Package: 17.3 x 17.3 x 12.6" – 11.5 lb Vol – 2.12 ft³
Product notes: 3000K available upon request
 LED included



Wire installation: Hardwired




Djembé C 65.23

Code	Finish
A681-324	White (RAL 1013) 
A681-325	Grey (RAL 7022) 
A681-326	Red (RAL 3011)
A681-327	Sky Blue (PANTONE 7542C)

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Ceiling
Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
Luminaire: Only 120 VAC ELV 26W 1843lm
 120 - 277 VAC 0-10V 26W 1843lm
Weight: Net 10.8 lb – Gross 15.4 lb
Package: 25.6 x 25.6 x 11.8" – 15.4 lb Vol – 4.59 ft³
Product notes: 3000K available upon request
 LED included



Wire installation: Hardwired



Djembé C 65.35

Code	Finish
A681-328	White (RAL 1013) 
A681-329	Grey (RAL 7022) 
A681-330	Red (RAL 3011)
A681-331	Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Ceiling

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm

Luminaire: Only 120 VAC ELV 26W 1845lm


120 - 277 VAC 0-10V 26W 1845lm

Weight: Net 14.8 lb – Gross 19.8 lb

Package: 25.6 x 25.6 x 16.5" – 19.8 lb Vol – 6.36 ft³

Product notes: 3000K available upon request

LED included



Wire installation: Hardwired



Djembé C 65.45

Code	Finish
A681-332	White (RAL 1013) 
A681-333	Grey (RAL 7022) 
A681-334	Red (RAL 3011)
A681-335	Sky Blue (PANTONE 7542C)

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Ceiling

Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm

Luminaire: Only 120 VAC ELV 26W 1770lm


120 - 277 VAC 0-10V 26W 1770lm

Weight: Net 16.5 lb – Gross 22 lb

Package: 25.6 x 25.6 x 19.3" – 22 lb Vol – 7.06 ft³

Product notes: 3000K available upon request

LED included



Wire installation: Hardwired



Djembé C 100.38

Code	Finish
A681-514	● White (RAL 1013) 
A681-515	● Grey (RAL 7022) 
A681-516	● Red (RAL 3011) 
A681-517	● Sky Blue (PANTONE 7542C) 

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
Diffuser: Aluminum

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Ceiling

Light Source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm

Luminaire: Only 120 VAC ELV 42W 2519lm

120 - 277 VAC 0-10V 42W 2519lm


Weight: Net 22 lb – Gross 42 lb

Package: 45.3 x 45.3 x 20" - 42lb Vol – 24.7 ft³

Product notes: 3000K available upon request

LED included

ø39.4"



Dimmable



14.9"

Wire installation: Hardwired




Accessory C2 Djembé 42

Code A681-424 Finish ● Black (RAL 9005) ➤

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 2 lb – Gross 3.52 lb
Package: 24.4 x 7.8 x 3.5" - 3.52 lb – Vol - 0.35 ft³
Product notes: Accessory to combine 2 Djembé 42 models for a single junction box.
Only for ELV versions.





Accessory C3 Djembé 42

Code A681-425 Finish ● Black (RAL 9005) ➤

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 3.5 lb – Gross 4.4 lb
Package: 24.4 x 7.8 x 3.5" - 4.4 lb – Vol - 0.35 ft³
Product notes: Accessory to combine 3 Djembé 42 models for a single junction box.
Only for ELV versions.




Accessory C2 Djembé 65

Code A681-426 Finish ● Black (RAL 9005) ➤

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 2.5 lb – Gross 4.85 lb
Package: 33.4 x 7.8 x 3.5" - 4.85 lb – Vol - 0.53 ft³
Product notes: Accessory to combine 2 Djembé 65 models for a single junction box.
Only for ELV versions.





Accessory C3 Djembé 65

Code A681-427 Finish ● Black (RAL 9005) ➤

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 3.9 lb – Gross 4.85 lb
Package: 33.4 x 7.8 x 3.5" - 4.85 lb – Vol - 0.53 ft³
Product notes: Accessory to combine 3 Djembé 65 models for a single junction box.
Only for ELV versions.



Few lamps have had as strong an impact as the FollowMe. A pioneer in portable lighting, this bold lantern has become a design icon in just a few short years.

Its simple and lightweight shapes, tiltable lampshade and technological rigor have cemented its position as a practical and beautiful trendsetter.



Discover more at marset.com



reddot award 2016
winner lighting design

FollowMe


Code	Finish
A657-080	White
A657-082	Green (RAL 120 40 20)
A657-083	Pink (RAL 050 80 20)
A657-084	Terracotta (RAL 040 50 30)
A657-085	Blue (RAL 190 80 10)

Materials
 Diffuser: Opal polycarbonate
 Body: Polycarbonate
 Handle: Plywood with natural oak varnish

Integrated dimmer: Yes
 Dimmer Type: 3-step dimmer

Product type: Table / Portable
 Light source: LED SMD 1A 3.5W 2700K CRI90 216lm
 Luminaire: in 5 Vdc 1.5A 135lm
 Weight: Net 1.5 lb – Gross 4 lb
 Package: 13.8 x 9.5 x 14" – 2.2lb Vol – 1 ft³ (1u)
 20.08 x 13.39 x 14.17" – 17.6 lb Vol – 2.3 ft³ (6u)

Product notes: Sold in multiples of 6.
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer



Switch location: Body
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power




FollowMe Plus

Code A657-081
Finish White

Materials
Diffuser: Opal polycarbonate
Body: Polycarbonate
Diffuser: Opal polycarbonate
Handle: Plywood with natural oak veneer

Dimmer
Integrated dimmer: Yes
Dimmer Type: 3-step dimmer

Product type: Table / Portable
Light source: LED SMD 1A 3.5W 2700K CRI90 395lm
Luminaire: in 5 Vdc 1.5A 290lm
Weight: Net 2.5 lb – Gross 7.8 lb
Package: Ø9 x 20" – 4.8 lb Vol – 0.706 ft³ (1u)
9.44 x 20.8 x 20.4" – 13.2 lb Vol – 0,07 ft³ (2u)
Product notes: Sold in multiples of 2.
Charging cable included (USB to USB-C). Power adapter not included.
LED included



Dimmer



Switch location: Body
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power



Spare parts


Code	Product
A657-101	FollowMe / FollowMe Plus
R968-002-USA	FollowMe colors
R968-006-USA	FollowMe / FollowMe Plus
R961-057	FollowMe colors
R961-062	FollowMe / FollowMe Plus

Spare part
Battery
Black power adapter
White power adapter
Usb type C cable black
Usb type C cable white

Fragile, Jaume Ram3rez

Fascinated by timeless design, designer Jaume Ram3rez is interested in the archetypal table lamp in which a lampshade distributes light in all directions. This is the starting point from which he reflects and experiments to propose a new

glass design, with more streamlined shapes. The Fragile lamp is a mix of geometric shapes. A cone and a sphere are arranged to hold a cylinder that emits ambient light from below.



Fragile NEW


Code A724-103-50-22K
 Finish NEW
 A724-103-46-22K

Finish
NEW Translucent
● Amber

Materials
 Diffuser: Blown Glass
 Base: Methacrylate

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: Progressive from 0 to 100

Product type: Table
 Light source: LED SMD 700mA 2.1W 2200K CRI80 226.5lm
 Luminaire: 85 - 264 VAC
 Weight: Net 4.6 lb - Gross 10.1 lb
 Package: 25.6 x 15.4 x 12.2" - 10.1 lb - VOL - 2.8 ft³
 LED included



Dimmer

 Under approval process.



Cable length: 3.2 ft
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line

Spare parts


Code	Product	Finish	Spare part
R724-001-46	Fragile	Amber	Glass - Cone
R724-001-50	Fragile	Translucent	Glass - Cone
R724-002-46	Fragile	Amber	Glass - Sphere
R724-002-50	Fragile	Translucent	Glass - Sphere
R724-003	Fragile	-	Glass - Tube



Funiculí, Lluís Porqueras

Funiculí is a revamped edition of a lamp originally designed in 1979. Lluís Porqueras always sought an absolute simplicity in his designs, stripping everything superfluous to leave only the essence of the simple, useful object.

Using the same double-clip mechanism of the original, this scaled-down model allows easy height adjustment and 360 degree shade rotation to fit the needs of any room or user.




Discover more at marset.com

Funiculí

Code	Finish
A641-006	● Moss grey (RAL 7003)
A641-007	● Off-white (RAL 9001) ➤
A641-008	● Black (RAL 9005) ➤
A641-482	● Green (RAL 110 40 30)
A641-483	● Terracotta (RAL 050 40 50)
A641-484	● Mustard (RAL 075 60 70)

Materials
Base: Iron wapped with black rubber
Stem: Iron
Shade: Aluminum

Product type: Floor
Light source: E26 LED TYPE A 11W
Weight: Net 6.8 lb – Gross 11 lb
Package: 14.9 x 21.2 x 4.7" - 9.3lb Vol - 0.847 ft³
1.9 x 1.9 x 56.3" - 1.8lb Vol - 0.14 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



Funiculí Fabric

Code	Finish
A641-413	● Black - White
A641-414	● Black - Sand

Materials

Base: Iron wapped with black rubber
 Stem: Iron
 Shade: White or sand polyester shade, made of a PVC-PET laminated film


Product type: Floor

Light source: E26 LED Standard 8W

Weight: Net 11.5 lb – Gross 16.5 lb

Package: 20.4 x 16.5 x 5.1" - 13.8lb Vol - 1.051 ft³
 13.38 x 13.38 x 9" - 1.31lb Vol - 0.706 ft³
 47.2 x 1.6 x 1.6" - 1.3lb Vol - 0.07ft³

Lamping not included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line

Funiculí A

Code	Finish
A641-040	● Moss grey (RAL 7003)
A641-041	● Off-white (RAL 9001)
A641-042	● Black (RAL 9005) ➤
A641-485	● Green (RAL 110 40 30)
A641-486	● Terracotta (RAL 050 40 50)
A641-487	● Mustard (RAL 075 60 70)

Materials

Stem: Iron
 Shade: Aluminum


Product type: Wall

Light source: E12 LED TYPE G16.5 5W

Weight: Net 1.8 lb – Gross 3.31 lb

Package: 18.1 x 13.4 x 4.3" - 3.31 lb Vol - 0.6 ft³

Lamping not included




Cable length: 5.4 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line

Funiculí A Fabric

Code	Finish
A641-415	● Black - White
A641-416	● Black - Sand

Materials
 Stem: Iron
 Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Wall
 Light source: E12 LED 5W
 Weight: Net 1.5 lb – Gross 3.7 lb
 Package: 25.6 x 11.4 x 3.9" - 6.61 lb Vol - 0.7 ft³
 10.3 x 10.3 x 7" - 2.64 lb Vol - 0.42 ft³
 Lamping not included



Cable length: 5.4 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line




Funiculí S

Code	Finish
A641-030	● Moss grey (RAL 7003)
A641-031	● Off-white (RAL 9001)
A641-032	● Black (RAL 9005)
A641-488	● Green (RAL 110 40 30)
A641-489	● Terracotta (RAL 050 40 50)
A641-490	● Mustard (RAL 075 60 70)

Materials
 Base: Iron wapped with black rubber
 Stem: Iron
 Shade: Aluminum

Product type: Table
 Light source: E12 LED 5W
 Weight: Net 4 lb – Gross 6 lb
 Package: 18.5 x 13.4 x 4.3" – 6 lb Vol – 0.6 ft³
 Lamping not included



Cable length: 5.4 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line




Funiculí S Fabric

Code Finish
A641-417 ● Black - White
A641-418 ● Black - Sand

Materials
Base: Iron wapped with black rubber
Stem: Iron
Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Table
Light source: E12 LED 5W
Weight: Net 3.7 lb – Gross 5.9 lb
Package: 25.6 x 12.2 x 3.9" - 5.31 lb Vol - 0.706 ft³
 10.2 x 10.2 x 7" - 0.6 lb Vol - 0.42 ft³
Lamping not included




Cable length: 5.4 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



The LED-Ginger collection is notable for its great simplicity of form, its lightweight appearance and reflected direct light. A design for any type of project.

Available in two very different materials, wood or metal, it provides a warm glow with no glare, illuminating just the areas that need it.



Discover more at marset.com




LED-Ginger 20

Code	Finish
A662-189	● Oak-White
A662-190	● Wenge-White
A662-191	● Oak-Oak
A662-192	● Wenge-Wenge
A662-252	● Brushed brass-Brushed brass
A662-253	● Brushed brass-White
A662-254	● Black-White

Materials: Pressed wood or brushed aluminum
Dissipater: Aluminum
Dimmable: No

Product type: Pendant
Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
Luminaire: 90 - 264 VAC 6W 161lm
Weight: Net 1.3 lb – Gross 1.8 lb
Package: 9 x 8.26 x 3.93 " – 1.8 lb Vol – 0.35 ft³
LED included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




LED-Ginger 20 - 24V

Code	Finish
A662-392	● Oak-White
A662-393	● Wenge-White
A662-394	● Oak-Oak
A662-395	● Wenge-Wenge
A662-344	● Brushed brass-Brushed brass
A662-345	● Brushed brass-White
A662-346	● Black-White

Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dependent on purchased power supply. See Cluster Accessory, page 31.

Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 161lm
 Weight: Net 0.7 lb – Gross 1.1 lb
 Package: 9 x 8.26 x 3.93" – 1.1 lb Vol – 0.35 ft³
 Product notes: Use with Cluster accessory, see pg 33, 34.
 1 pc. hook accessory included.
 LED included



Dimmable



Cable length: 13.1 ft
 Wire installation: Hardwired
 Cord color: Black


LED-Ginger 20x3

Code	Finish
A662-193	● Oak-White
A662-194	● Wenge-White
A662-195	● Oak-Oak
A662-196	● Wenge-Wenge
A662-237	● Brushed brass-Brushed brass
A662-238	● Brushed brass-White
A662-239	● Black-White

Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Pendant
 Light Source: LED SMD 350mA 12.15W 2700K CRI90 1389lm
 Luminaire: Only 120 VAC ELV 16W 483lm
 120 - 277 VAC 0-10V 16W 483lm
 Weight: Net 3.3 lb – Gross 4.4 lb
 Package: 16.5 x 16.5 x 2.8" – 4.4 lb Vol – 0.35 ft³
 LED included



Dimmable




Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black - Entry point: 3

LED-Ginger accessory 20x3

Code A662-188 Finish ● Black

Materials
Disc: Iron

Product type: Accessory
Weight: Net 1.5 lb – Gross 2.2 lb
Package: 16.1 x 16.1 x 1" - 2.2 lb – Vol - 0.003 ft³




LED-Ginger 32

Code	Finish	Dimming
A662-035	● Oak-White ➤	ELV
A662-036	● Wenge-White ➤	ELV
A662-241	● Brushed brass-Brushed brass	ELV
A662-242	● Brushed brass-White	ELV
A662-243	● Black-White	ELV
A662-318	● Oak-White	0-10V
A662-319	● Wenge-White	0-10V
A662-245	● Brushed brass-Brushed brass	0-10V
A662-246	● Brushed brass-White	0-10V
A662-247	● Black-White	0-10V

Materials
Diffuser: Pressed wood or brushed aluminum
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V

Product type: Pendant
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 100 - 120 VAC ELV 14W 350lm
120 - 277 VAC 0-10V 14W 350lm
Weight: Net 3 lb – Gross 5.5 lb
Package: 18.9 x 18.9 x 6.7" - 5.5 lb Vol - 1.4 ft³
LED included



Dimmable



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black


LED-Ginger 42

Code	Finish	Dimming
A662-037	● Oak-White ➤	ELV
A662-038	● Wenge-White ➤	ELV
A662-276	● Brushed brass-Brushed brass	ELV
A662-277	● Brushed brass-White	ELV
A662-278	● Black-White	ELV
A662-320	● Oak-White	0-10V
A662-321	● Wenge-White	0-10V
A662-280	● Brushed brass-Brushed brass	0-10V
A662-281	● Brushed brass-White	0-10V
A662-282	● Black-White	0-10V

Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV) 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: 90 - 135 VAC ELV 21W 698lm
 120 - 277 VAC 0-10V 21W 698lm
 Weight: Net 4,4 lb – Gross 7.7 lb
 Package: 22.44 x 20.87 x 6.69" - 7.7 lb Vol - 1.8 ft³
 LED included



Dimmable



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




LED-Ginger 60

Code	Finish
A662-746-2035-27K	● Oak-White ➤
A662-746-2135-27K	● Wenge-White ➤
A662-749-1515-27K	● Brushed brass-Brushed brass
A662-749-1535-27K	● Brushed brass-White
A662-749-3935-27K	● Black-White

Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V


Product type: Pendant
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: Only 120 VAC ELV 28W 1165lm
 120 - 277 VAC 0-10V 28W 1165lm
 Weight: Net 7.7 lb – Gross 13.7 lb
 Package: 26.37 x 26.37 x 9.4" - 13.7 lb Vol - 3.46 ft³
 LED included



Dimmable



Cable length: 10 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black






LED-Ginger 20 M

Code	Finish
A662-560	● Oak-White ➤
A662-561	● Wenge-White ➤
A662-562	● Brushed brass-Brushed brass
A662-563	● Brushed brass-White

Materials
 Diffuser and base: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Stem: Aluminum

Integrated dimmer: Yes
 Dimmer Type: 3-step dimmer

Product type: Table / Portable
 Light source: LED SMD 1A 3.5W 2700K CRI90 395lm
 Luminaire: in 5 Vdc 1.5A 290lm
 Weight: Net 1.7 lb – Gross 2.2 lb
 Package: 15.7 x 8.2 x 6.7" - 2.2 lb (1u) Vol - 0.35 ft³ (1u)
 15.3 x 8.6 x 16.1" - 5.3 lb (2u) Vol - 1.4 ft³ (2u)
 Product notes: Sold in multiples of 2.
 Charging cable included (USB to USB-C). Power adapter not included.



Dimmer



Switch location: Base
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power




LED-Ginger S

Code	Finish
A662-039	● Oak-White
A662-040	● Wenge-White

Materials
 Diffuser and base: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Stem: Aluminum

Integrated dimmer: Yes
 Dimmer Type: Progressive from 0 to 100

Product type: Table
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 85 - 264 VAC 14W 350lm
 Weight: Net 5.7 lb – Gross 9.92 lb
 Package: 22.44 x 20.87 x 6.69" - 9.92 lb Vol - 1.8 ft³
 LED included



Dimmer



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line



LED-Ginger XL 42


Code	Finish
A662-120	● Oak-White
A662-121	● Wenge-White

Materials
 Diffuser and base: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Stem: Metal
 Arm: Carbon fiber


Integrated dimmer: Yes
 Dimmer Type: Foot-operated progressive in-line dimmer

Product type: Floor
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: 85 - 264 VAC 21W 698lm
 Weight: Net 52.5 lb – Gross 61.3 lb
 Package: 22.44 x 20.87 x 6.69" - 6.171 lb Vol - 1.8 ft³
 75.2 x 7.87 x 4.3" - 22.04 lb Vol - 1.41 ft³
 24.8 x 24.4 x 1.57" - 33.06 lb Vol - 0.7 ft³

LED included



Cable length: 8.2 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line



LED-Ginger 20 A

Code	Finish	Dimmer
Plug-in		
A662-199	● Oak-White	Progressive
A662-200	● Wenge-White	Progressive


Hardwired		
A662-201	● Oak-White	No
A662-202	● Wenge-White	No

Materials
 Diffuser and base: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Structure: Metal

Integrated dimmer: Yes (Plug-in version)
 Dimmer Type:
 Plug-in version, Progressive in-line dimmer from 0 to 100.

Product type: Wall
 Light source: LED SMD 350mA 4.05W 2700K CRI90 463lm
 Luminaire: 85 - 264 VAC 5.7W 161lm
 Weight: Net 1.3 lb – Gross 3.3 lb
 Package: 18.1 x 11 x 9.4" - 3.3 lb Vol - 1.06 ft³
 Product notes: Plug-in: Progressive dimmer from 0 to 100.
 Hardwired: Canopy with switch on/off.

LED included



Cord color: Black
 Wire installation: Plug-in / Hardwired




LED-Ginger A

Code	Finish	Dimmer
Plug-in		
A662-087	● Oak-White	Progressive
A662-088	● Wenge-White	Progressive
Hardwired (Canopy)		
A662-095	● Oak-White	ELV / on-off
A662-096	● Wenge-White	ELV / on-off

Materials
 Diffuser and base: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Structure: Metal

Integrated dimmer: Yes (Plug-in version)
 Dimmer Type:
 Plug-in version: progressive in-line dimmer from 0 to 100.
 Hardwired version: Phase cut (ELV) dimming driver

Product type: Wall
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 85 - 264 VAC 14W 350lm (Plug-in)
 100 - 120 VAC ELV 14W 350lm (Canopy)
 Weight: Net 3.3 lb – Gross 6.61 lb
 Package: 22.4 x 20.8 x 6.69" - 6.61 lb Vol - 1.8 ft³
 LED included



Cord color: Black
 Wire installation: Plug-in / Hardwired




LED-Ginger 20C

Code	Finish
A662-288	● Oak-White
A662-289	● Wenge-White
A662-290	● Oak-Oak
A662-291	● Wenge-Wenge
A662-292	● Brushed brass-Brushed brass
A662-293	● Black-White
A662-576-36-27K	● Mauve (RAL 010 70 10)
A662-576-37-27K	● Sand (RAL 050 85 10)
A662-576-38-27K	● Stone Grey (RAL 000 65 00)

Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Canopy: Metal

Dimmable: No

Product type: Wall / Ceiling
 Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
 Luminaire: 100 - 240 VAC 6W 161lm
 Weight: Net 0.9 lb – Gross 1.5 lb
 Package: 9.4 x 8.3 x 3.9" - 1.5 lb Vol - 0.35 ft³
 LED included



Canopy color: Black
 Wire installation: Hardwired




LED-Ginger 32C

Code	Finish	Dimming
A662-203	● Oak-White	ELV
A662-204	● Wenge-White ➤	ELV
A662-205	● Oak-Oak ➤	ELV
A662-206	● Wenge-Wenge	ELV
A662-294	● Brushed brass	ELV
A662-295	▲ Black-White	ELV
A662-577-36-27K	● Mauve (RAL 010 70 10)	ELV
A662-577-37-27K	● Sand (RAL 050 85 10)	ELV
A662-577-38-27K	● Stone Grey (RAL 000 65 00)	ELV
A662-324	● Oak-White	0-10V
A662-325	● Wenge-White	0-10V
A662-326	● Oak-Oak	0-10V
A662-327	● Wenge-Wenge	0-10V
A662-296	● Brushed brass	0-10V
A662-297	▲ Black-White	0-10V
A662-578-36-27K	● Mauve (RAL 010 70 10)	0-10V
A662-578-37-27K	● Sand (RAL 050 85 10)	0-10V
A662-578-38-27K	● Stone Grey (RAL 000 65 00)	0-10V


Materials: Pressed wood or brushed aluminum
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)
 0-10V

Product type: Wall / Ceiling
 Light Source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 100 - 120 VAC ELV 14W 350lm
 120 - 277 VAC 0-10V 14W 350lm
 Weight: Net 2.2 lb – Gross 4.41 lb
 Package: 16.9 x 18.9 x 6.7" - 4.41 lb Vol - 1.4 ft³
 LED included



Canopy color: Black
 Wire installation: Hardwired




LED-Ginger 42C

Code	Finish	Dimming
A662-207	● Oak-White	ELV
A662-208	● Wenge-White ➤	ELV
A662-209	● Oak-Oak ➤	ELV
A662-210	● Wenge-Wenge	ELV
A662-446	● Brushed brass	ELV
A662-447	● Black-White	ELV
A662-579-36-27K	● Mauve (RAL 010 70 10)	ELV
A662-579-37-27K	● Sand (RAL 050 85 10)	ELV
A662-579-38-27K	● Stone Grey (RAL 000 65 00)	ELV
A662-328	● Oak-White	0-10V
A662-329	● Wenge-White	0-10V
A662-330	● Oak-Oak	0-10V
A662-331	● Wenge-Wenge	0-10V
A662-448	● Brushed brass	0-10V
A662-449	● Black-White	0-10V
A662-580-36-27K	● Mauve (RAL 010 70 10)	0-10V
A662-580-37-27K	● Sand (RAL 050 85 10)	0-10V
A662-580-38-27K	● Stone Grey (RAL 000 65 00)	0-10V


Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 Phase cut (ELV)
 0-10V

Product type: Wall / Ceiling
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: 90 - 135 VAC ELV 21W 698lm
 120 - 277 VAC 0-10V 21W 698lm
 Weight: Net 4.2 lb - Gross 7.71 lb
 Package: 22.4 x 20.8 x 6.7 " - 7.71 lb Vol - 1.80 ft³
 LED included



Canopy color: Black
 Wire installation: Hardwired




LED-Ginger 60C

Code	Finish
A662-332	● Oak-White
A662-333	● Wenge-White
A662-334	● Oak-Oak
A662-335	● Wenge-Wenge
A662-450	● Brushed brass-Brushed brass
A662-451	● Black-White
A662-581-36-27K	● Mauve (RAL 010 70 10)
A662-581-37-27K	● Sand (RAL 050 85 10)
A662-581-38-27K	● Stone Grey (RAL 000 65 00)

Materials
 Diffuser: Pressed wood or brushed aluminum
 Dissipater: Aluminum
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
 Light Source: LED SMD 700mA 22.4W 2700K CRI90 2933lm
 Luminaire: Only 120 VAC ELV 28W 1165lm
 120 - 277 VAC 0-10V 28W 1165lm
 Weight: Net 7.3 lb – Gross 13.8 lb
 Package: 26.3 x 26.3 x 9.44" - 13.8 lb Vol - 3.53 ft³
 LED included



Canopy color: Black
 Wire installation: Hardwired

Accessory C2 20/32

Code	Finish
A662-518	● Black




Shades 20	Finish
A662-519	● Oak-White
A662-520	● Wenge-White
A662-521	● Oak-Oak
A662-522	● Wenge-Wenge
A662-523	● Brushed brass-Brushed brass
A662-524	● Black-White
A662-582-36-27K	● Mauve (RAL 010 70 10)
A662-582-37-27K	● Sand (RAL 050 85 10)
A662-582-38-27K	● Stone Grey (RAL 000 65 00)

Shades 32	Finish
A662-525	● Oak-White
A662-526	● Wenge-White
A662-527	● Oak-Oak
A662-528	● Wenge-Wenge
A662-529	● Brushed brass-Brushed brass
A662-530	● Black-White
A662-583-36-27K	● Mauve (RAL 010 70 10)
A662-583-37-27K	● Sand (RAL 050 85 10)
A662-583-38-27K	● Stone Grey (RAL 000 65 00)

Materials
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
 Luminaire: Only 120 VAC ELV 20W (max.)
 120 - 277 VAC 0-10V 20W (max.)
 Weight: Net 9.9 lb – Gross 13.2 lb
 Package: 9.1 x 8.3 x 3.9" - 2.2 lb Vol - 0.35 ft³
 22.4 x 20.9 x 6.7" - 6.6 lb Vol - 1.8 ft³
 24.4 x 7.8 x 3.5" - 4.4 lb Vol - 0.35 ft³
 LED included



Canopy color: Black
 Wire installation: Hardwired

Accessory C3 20/32/42



Code	Finish
Structure	
A662-539	● Black
Shades 20	
A662-519	○ Oak-White
A662-520	○ Wenge-White
A662-521	○ Oak-Oak
A662-522	○ Wenge-Wenge
A662-523	○ Brushed brass-Brushed brass
A662-524	○ Black-White
A662-582-36-27K	○ Mauve (RAL 010 70 10)
A662-582-37-27K	○ Sand (RAL 050 85 10)
A662-582-38-27K	○ Stone Grey (RAL 000 65 00)

Shades 32	
A662-525	○ Oak-White
A662-526	○ Wenge-White
A662-527	○ Oak-Oak
A662-528	○ Wenge-Wenge
A662-529	○ Brushed brass-Brushed brass
A662-530	○ Black-White
A662-583-36-27K	○ Mauve (RAL 010 70 10)
A662-583-37-27K	○ Sand (RAL 050 85 10)
A662-583-38-27K	○ Stone Grey (RAL 000 65 00)

Shades 42	
A662-532	○ Oak-White
A662-533	○ Wenge-White
A662-534	○ Oak-Oak
A662-535	○ Wenge-Wenge
A662-536	○ Brushed brass-Brushed brass
A662-537	○ Black-White
A662-584-36-27K	○ Mauve (RAL 010 70 10)
A662-584-37-27K	○ Sand (RAL 050 85 10)
A662-584-38-27K	○ Stone Grey (RAL 000 65 00)

Materials: Canopy: Metal
 Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
 Luminaire: Only 120 VAC ELV 30W (max.)
 120 - 277 VAC 0-10V 30W (max.)
 Weight: Net 17.2 lb – Gross 22 lb
 Package: 9.1 x 8.3 x 3.9" - 2.2 lb Vol - 0.35 ft³
 22.4 x 20.8 x 6.7" - 7.7 lb Vol - 1.8 ft³
 22.4 x 20.8 x 6.7" - 6.6 lb Vol - 1.8 ft³
 20.9 x 20.9 x 4.7" - 5.5 lb Vol - 1.1 ft³
 LED included





Canopy color: Black
 Wire installation: Hardwired

Accessory C2 LED-Ginger 32/42

Code A662-215
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron




Product type: Accessory
Weight: Net 3.9 lb – Gross 4.4 lb
Package: When ordered, this item is shipped coupled with the Ginger 42C.
Product notes: Must be specified together with Ginger 32C + 42C . See pg 81, 82.

Accessory C2 LED-Ginger 42/60

Code A662-273
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron




Product type: Accessory
Weight: Net 3.9 lb – Gross 4.8 lb
Package: When ordered, this item is shipped coupled with the Ginger 60C.
Product notes: Must be specified together with Ginger 42C + 60C. See pg 82, 83.

Accessory C3 LED-Ginger 32/42/60

Code A662-216
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron



Product type: Accessory
Weight: Net 5.9 lb – Gross 6.6 lb
Package: When ordered, this item is shipped coupled with the Ginger 60C.
Product notes: Must be specified together with Ginger 32C + 42C + 60C. See pg 81, 82, 83.

Spare parts


Code	Product	Finish	Spare part
R662-013	LED-Ginger 20	Oak-White	Shade
R662-014	LED-Ginger 20	Wenge-White	Shade
R662-015	LED-Ginger 20	Oak	Shade
R662-016	LED-Ginger 20	Wenge	Shade
R662-017	LED-Ginger 20	Brushed brass	Shade
R662-018	LED-Ginger 20	Brushed brass-White	Shade
R662-019	LED-Ginger 20	Black-White	Shade
R662-211-36	LED-Ginger 20	Mauve	Shade
R662-211-37	LED-Ginger 20	Sand	Shade
R662-211-38	LED-Ginger 20	Stone Grey	Shade
R662-039	LED-Ginger 32	Oak-White	Shade
R662-040	LED-Ginger 32	Wenge-White	Shade
R662-038	LED-Ginger 32	Oak	Shade
R662-041	LED-Ginger 32	Wenge	Shade
R662-042	LED-Ginger 32	Brushed brass	Shade
R662-043	LED-Ginger 32	Brushed brass-White	Shade
R662-044	LED-Ginger 32	Black-White	Shade
R662-212-36	LED-Ginger 32	Mauve	Shade
R662-212-37	LED-Ginger 32	Sand	Shade
R662-212-38	LED-Ginger 32	Stone Grey	Shade
R662-032	LED-Ginger 42	Oak-White	Shade
R662-024	LED-Ginger 42	Wenge-White	Shade
R662-046	LED-Ginger 42	Oak	Shade
R662-047	LED-Ginger 42	Wenge	Shade
R662-048	LED-Ginger 42	Brushed brass	Shade
R662-049	LED-Ginger 42	Brushed brass-White	Shade
R662-050	LED-Ginger 42	Black-White	Shade
R662-213-36	LED-Ginger 42	Mauve	Shade
R662-213-37	LED-Ginger 42	Sand	Shade
R662-213-38	LED-Ginger 42	Stone Grey	Shade
R662-052	LED-Ginger 60	Oak-White	Shade
R662-025	LED-Ginger 60	Wenge-White	Shade
R662-053	LED-Ginger 60	Oak	Shade
R662-054	LED-Ginger 60	Wenge	Shade
R662-055	LED-Ginger 60	Brushed brass	Shade
R662-056	LED-Ginger 60	Brushed brass-White	Shade
R662-037	LED-Ginger 60	Black-White	Shade
R662-214-36	LED-Ginger 60	Mauve	Shade
R662-214-37	LED-Ginger 60	Sand	Shade
R662-214-38	LED-Ginger 60	Stone Grey	Shade
A662-400	LED-Ginger 20M		Battery
R968-002-USA	LED-Ginger 20M		Black power adapter
R961-057	LED-Ginger 20M		Usb type C cable black



LED-Ginger Outdoor, Joan Gaspar

The LED-Ginger collection is moving outdoors, with numerous sizes of wall sconce and bollard as well as a large-scale lamppost style light. This outdoor collection also

introduces a unique new rust brown finish, with a deep, warm glow, alongside the standard black-white metal finish familiar to the indoor version.




Discover more at marset.com

LED-Ginger 15C IP65

Code A662-649-31 Finish ● Rust Brown
 A662-649-39 ● Black-White (RAL 9005-9010)

Materials Diffuser: Aluminum Dimmable: Yes
 Dissipater: Aluminum Integrated dimmer: No
 Structure: Stainless steel Dimming protocols: 0-10V

Product type: Wall / Ceiling
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 67 lm - Black-White
 (Power supply not included) 27 lm - Rust brown
 Weight: Net 0.8 lb – Gross 1.1 lb
 Package: 9.4 x 8.3 x 3.9 " – 1.1 lb Vol – 0.3 ft³
 Product notes: 24V remote power supply to be ordered separately, see pg 94.
 LED included



Dimmable


ADA

Suitable for wet locations



Under approval process. For latest certification status check the spec sheet.

Canopy color: Black
 Wire installation: Hardwired




LED-Ginger 20C IP65

Code	Finish
A662-650-31	● Rust Brown
A662-650-39	▲ Black-White (RAL 9005-9010)

Materials	Dimmable: Yes
Diffuser: Aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols: 0-10V

Product type: Wall / Ceiling
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 161 lm - Black-White
 (Power supply not included) 29 lm - Rust brown
 Weight: Net 1.1 lb – Gross 1.5 lb
 Package: 9.4 x 8.3 x 3.9" – 1.5 lb Vol – 0.4 ft³
 Product notes: 24V remote power supply to be ordered separately, see pg 94.
 LED included



Dimmable


ADA

Suitable for wet locations



Under approval process. For latest certification status check the spec sheet.

Canopy color: Black




LED-Ginger 32C IP65

Code	Finish	Dimming
A662-651-31	● Rust Brown	ELV
A662-651-39	▲ Black-White (RAL 9005-9010)	ELV

Materials	Dimmable: Yes
Diffuser: Aluminum	Integrated dimmer: No
Dissipater: Aluminum	Dimming protocols: Phase cut (ELV)

Product type: Wall / Ceiling
 Light Source: LED SMD 700mA 7.8W 2700K CRI90 913 lm
 Luminaire: 100 - 120 VAC ELV 14W 350 lm - Black-White
 100 - 120 VAC ELV 14W 81 lm - Rust Brown
 Weight: Net 1.9 lb – Gross 4.4 lb
 Package: 16.9 x 18.9 x 6.7" – 4.4 lb Vol – 1.4 ft³
 LED included




Dimmable

Suitable for wet locations



Canopy color: Black



LED-Ginger 42C IP65


Code	Finish	Dimming
A662-653-31	● Rust Brown	ELV
A662-653-39	▲ Black-White (RAL 9005-9010)	ELV
A662-654-31	● Rust Brown	0-10V
A662-654-39	▲ Black-White (RAL 9005-9010)	0-10V

Materials
 Diffuser: Aluminum
 Dissipater: Aluminum


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 Phase cut (ELV)
 0-10V

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 15.4W 2700K CRI90 1873 lm
 Luminaire: 90 - 135 VAC ELV 21W 698 lm - Black-White
 120 - 277 VAC 0-10V 21W 698 lm - Black-White
 90 - 135 VAC ELV 21W 186 lm - Rust brown
 120 - 277 VAC 0-10V 21W 186 lm - Rust brown

Weight: Net 4 lb – Gross 7.7 lb
 Package: 22.4 x 20.9 x 6.7" – 7.7 lb Vol – 1.8 ft³
 LED included



Canopy color: Black



LED-Ginger 60C IP65


Code	Finish
A662-655-31	● Rust Brown
A662-655-39	▲ Black-White (RAL 9005-9010)

Materials
 Diffuser: Aluminum
 Dissipater: Aluminum


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 21W 2700K CRI90 2933 lm
 Luminaire: Only 120 VAC ELV 28W 1165 lm - Black-White
 120 - 277 VAC 0-10V 28W 1165 lm - Black-White
 Only 120 VAC ELV 28W 245 lm - Rust brown
 120 - 277 VAC 0-10V 28W 245 lm - Rust brown

Weight: Net 7.9 lb – Gross 13.9 lb
 Package: 26.4 x 26.4 x 9.5" – 13.9 lb Vol – 3.5 ft³
 LED included



Canopy color: Black



LED-Ginger B 20/44


Code
A662-585-31
A662-585-39

Finish
● Rust Brown-White
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Structure: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm
Luminaire: (Power supply not included) 161 lm
Weight: Net 1.8 lb – Gross 2.9 lb
Package: 9.8 x 9 x 4.7" – 1.5 lb Vol – 0.24 ft³
5.9 x 5.1 x 18.9" – 1.3 lb Vol – 0.3 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 94.
LED included



Dimmable

Suitable for
wet locations



Cable length: 8.5 ft



LED-Ginger B 20/63


Code
A662-586-31
A662-586-39

Finish
● Rust Brown-White
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminum
Structure: Aluminum

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm
Luminaire: (Power supply not included) 161 lm
Weight: Net 1.9 lb – Gross 3 lb
Package: 9.8 x 9 x 4.7" – 1.5 lb Vol – 0.24 ft³
5.9 x 5.1 x 26.2" – 1.5 lb Vol – 0.35 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 94.
LED included



Dimmable

Suitable for
wet locations



Cable length: 7.9 ft




LED-Ginger B 20/86

Code	Finish
A662-587-31	● Rust Brown-White
A662-587-39	● Black-White (RAL 9005-9010)

Materials	Dimmable: Yes
Diffuser: Aluminum	Integrated dimmer: No
Structure: Aluminum	Dimming protocols: It depends on the purchased power supply.

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495 lm
Luminaire: (Power supply not included) 161 lm
Weight: Net 2.2 lb – Gross 3.5 lb
Package: 9.8 x 9 x 4.7" – 1.5 lb Vol – 0.24 ft³
5.9 x 5.1 x 38.8" – 2 lb Vol – 0.7 ft³
Product notes: 24V remote power supply to be ordered separately, see pg 94.
LED included



Dimmable

Suitable for wet locations



Cable length: 6.9 ft




Post accessory

Code	Finish
A662-555	● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger Bollards.
Weight: Net 0.7 lb – Gross 0.9 lb
Package: 5.5 x 5.5 x 11" - 0.9 lb – Vol - 0.2 ft³





Ground fixation plate

Code A662-556 Finish ● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger Bollards.
Weight: Net 0.7 lb – Gross 0.9 lb
Package: 5.9 x 5.9 x 5.1" - 0.9 lb – Vol - 0.1 ft³



LED-Ginger: Power Supply - Dimmable

Code	Description	Dimming	VAC
968-230	Power supply 60W - 24V	0-10V	120-277
968-233	Power supply 100W - 24V	0-10V	120-277


Product notes: Use these power supplies for LED-Ginger Bollards and LED-Ginger 15C / 20C.
These LED drivers must be installed in a cabinet / box suitable for wet locations or in a dry location.

LED-Ginger: Connector Accessory


Code	Description
A963-001	2 way terminal block 4 poles IP68 H2O Stop. (ø0.2/0.5" cable).
A963-002	3/4 way terminal block 4 poles IP68 H2O Stop. (ø0.2/0.5" cable).



Product notes: Use these power supplies for LED-Ginger Bollards and LED-Ginger 15C / 20C.




LED-Ginger 60/298

Code A662-745 Finish Black-White (RAL 9005-9010) 

Materials Dimmable: Yes
 Diffuser: Aluminum Integrated dimmer: No
 Structure: Stainless Steel Dimming: Depending on the connection
 Dissipater: Aluminum ON / OFF
 1-10V

Product type: Lamppost
 Light source: LED SMD 1050mA 33.8W 2700K CRI90 4037lm
 Luminaire: 90 - 305 VAC 1-10V 35.8W 1463lm
 Weight: Net 29.2 lb – Gross 44 lb
 Package: 26.8 x 27.2 x 9.4" – 12.6 lb Vol – 3.9 ft³
 24 x 6.3 x 100.4" – 24.5 lb Vol – 8.8 ft³
 9.8 x 9.8 x 17.3" – 7.2 lb Vol – 1.1 ft³
 LED included



Dimmable 

Suitable for wet locations





Wire installation: Hardwired

Ground fixation plate

Code A662-733 Finish Stainless steel

Materials Structure: Stainless steel 316 L

Product type: Accessory for LED-Ginger 60/298
 Weight: Net 3.5 lb – Gross 5.3 lb
 Package: 13.8 x 9.4 x 9.4" - 5.3 lb – Vol - 0.7 ft³



In search of the beauty of light, Joanna Laajisto created a sculptural lamp defined by its pure, almost graphic forms, and by the balance between rigidity and fragility.

Offering the option of ambient light for any classic or contemporary interior design project, this modular collection can be used to create light compositions.



For Ihana customized configurations, get in contact with us.




Ihana x2 80

Code	Finish	Dimming	CCT
A709-157-39-27K	Opal	ELV	27K
A709-158-39-22/30K	Opal	ELV	DTW 22K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (ELV)
	Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 28W 994lm
 Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 28W
 Weight: Net 9.9 lb – Gross 14.8 lb
 Package: (2x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45" – 8.15 lb Vol – 1.41 ft³
 Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black




Ihana x2 100

Code	Finish	Dimming	CCT
A709-111-39-27K	Opal	ELV	27K
A709-112-39-22/30K	Opal	ELV	DTW 22K-30K


Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)
 Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 28W 994lm
 Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 28W
 Weight: Net 9.9 lb – Gross 14.8 lb
 Package: (2x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45" – 8.15 lb Vol – 1.41 ft³
 Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black




Ihana x2 150

Code	Finish	Dimming	CCT
A709-109-39-27K	Opal	ELV	27K
A709-110-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)
 Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 28W 994lm
 Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 28W
 Weight: Net 11.3 lb – Gross 18.1 lb
 Package: (2x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 7 x 7 x 66" – 11.5 lb Vol – 1.76 ft³
 Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black




Ihana x2 200


Code	Finish	Dimming	CCT
A709-107-39-27K	● Opal	ELV	27K
A709-108-39-22/30K	● Opal	ELV	DTW 22K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (ELV)
	Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 28W 994lm
 Light source DTW: LED SMD 700mA 16W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 28W
 Weight: Net 14.8 lb – Gross 21.4 lb
 Package: (2x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 7 x 7 x 88.6" – 14.8 lb Vol – 2.47 ft³
 Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black




Ihana x3 80

Code	Finish	Dimming	CCT
A709-156-39-27K	● Opal	ELV	27K
A709-113-39-22/30K	● Opal	ELV	DTW 22K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (ELV)
	Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 42W 1491lm
 Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 42W
 Weight: Net 15 lb – Gross 21 lb
 Package: (3x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45" – 8.15 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45" – 6.2 lb Vol – 1.41 ft³
 Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black



Ihana x3 100


Code	Finish	Dimming	CCT
A709-105-39-27K	Opal	ELV	27K
A709-106-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)
 Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 42W 1491lm
 Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 42W
 Weight: Net 15 lb – Gross 21 lb
 Package: (3x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45" – 8.15 lb Vol – 1.41 ft³
 9.5 x 5.5 x 45" – 6.2 lb Vol – 1.41 ft³

Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black



Ihana x3 150


Code	Finish	Dimming	CCT
A709-103-39-27K	Opal	ELV	27K
A709-104-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)
 Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
 Luminaire: 100 - 120 VAC ELV 42W 1491lm
 Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
 Luminaire DTW: 100 - 120 VAC ELV 42W
 Weight: Net 17.2 lb – Gross 28 lb
 Package: (3x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
 7 x 7 x 65.8" – 11.5 lb Vol – 1.76 ft³
 7 x 7 x 65.8" – 9.9 lb Vol – 1.76 ft³

Product notes: 0-10V upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black



Ihana x3 200



Code	Finish	Dimming	CCT
A709-101-39-27K	Opal	ELV	27K
A709-102-39-22/30K	Opal	ELV	DTW 22K-30K

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)
Dim to warm from 2200K to 3000K (ELV)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 23.5W 2700K CRI90 1826lm
Luminaire: 100 - 120 VAC ELV 42W 1491lm
Light source DTW: LED SMD 700mA 23.5W 2200-3000K CRI90
Luminaire DTW: 100 - 120 VAC ELV 42W
Weight: Net 18 lb – Gross 33.3 lb
Package: (3x) 8.3 x 16.5 x 16.5" – 6.61 lb Vol – 1.41 ft³
7 x 7 x 88.5" – 14.7 lb Vol – 2.47 ft³
7 x 7 x 88.5" – 11.9 lb Vol – 2.47 ft³

Product notes: 0-10V upon request
LED included



Wire installation: Hardwired
Canopy color: Black





Discover more at marset.com



DESIGN PLUS

powered by: light+building


Jaima 43 E26

Code A683-047
A683-048


Finish
● Beige ➤
● Grey

Materials
Shade: Textile, inner part in white

Product type: Pendant
Light Source: E26 LED Globe (ø120) 22W
Weight: Net 4 lb – Gross 8.1 lb
Package: 17.3 x 17.7 x 15.4" – 11 lb Vol – 2.8 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Jaima 54 E26


Code	Finish
A683-051	● Beige
A683-052	● Grey

Materials
Shade: Textilene, inner part in white

Product type: Pendant
Light Source: E26 LED Globe (ø120) 22W
Weight: Net 4.85 lb – Gross 11 lb
Package: 21.5 x 21.5 x 18.1" – 11 lb Vol – 4.95 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Jaima 71 E26


Code	Finish
A683-055	● Beige
A683-056	● Grey

Materials
Shade: Textilene, inner part in white

Product type: Pendant
Light Source: E26 LED Globe (ø120) 22W
Weight: Net 6.17 lb – Gross 16.5 lb
Package: 27.5 x 27.5 x 24.8" – 16.5 lb Vol – 10.6 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Jaima 43 IP65

Code Finish
A683-059 ● Beige ➤
A683-060 ● Grey


Materials Dimmable: Yes
Shade: Textilene, inner part in white Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120 VAC ELV 15W 528lm
Weight: Net 4 lb – Gross 8.1 lb
Package: 17.3 x 17.7 x 15.4" – 11 lb Vol – 2.8 ft³
LED included



Dimmable

Suitable for wet locations




Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Jaima 54 IP65

Code Finish
A683-063 ● Beige ➤
A683-064 ● Grey


Materials Dimmable: Yes
Shade: Textilene, inner part in white Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
Luminaire: 120VAC ELV 15W 513lm
Weight: Net 4.85 lb – Gross 11 lb
Package: 21.5 x 21.5 x 18.1" – 11 lb Vol – 4.95 ft³
LED included



Dimmable

Suitable for wet locations




Cable length: 6.6ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black

Jaima 71 IP65

Code Finish
 A683-067 ● Beige
 A683-068 ● Grey


Materials Dimmable: Yes
 Shade: Textilene, inner part in white Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Pendant
 Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
 Luminaire: 120VAC ELV 15W 530lm
 Weight: Net 6.17 lb – Gross 16.5 lb
 Package: 27.5 x 27.5 x 24.8" – 16.5 lb Vol – 10.6 ft³
 LED included



Dimmable
Suitable for wet locations

Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




Jaima P207 + Shade 43

Code Finish
 Structure E26 ● Black (RAL 9005)
 A683-070 ● Black (RAL 9005)
 Structure LED IP65 ● Black (RAL 9005)
 A683-071 ● Black (RAL 9005)

Shade 43
 A683-029 ● Beige
 A683-030 ● Grey

Materials Dimmable: Based on specified lamping
 Shade: Textilene, inner part in white Integrated dimmer: No
 Structure: Stainless steel
 Extensible stem: Carbon fiber

Product type: Floor
 Light Source: E26 LED Globe (ø120) 22W
 Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
 Luminaire: 120VAC ELV 15W 528lm
 Weight: Net 9 lb – Gross 22.7 lb
 Package: 85.4 x 18.9 x 9" – 178.7 lb Vol – 8.47 ft³
 17.7 x 17.7 x 15.35" – 5.51 lb Vol – 2.83 ft³
 LED included



Suitable for wet locations

Product notes: a floor base 49 or a fixed stem needs to be purchased. See page 106.

Cable length: 9.2 ft
 Wire installation: Plug-in
 Cord color: Black




Jaima P307 + Shade 54

Code Finish
 Structure E26
 A683-072 ● Black (RAL 9005)
 Structure LED IP65
 A683-073 ● Black (RAL 9005)

Shade 54
 A683-037 ● Beige
 A683-038 ● Grey

Materials Dimmable: Based on specified lamping
 Shade: Textilene, inner part in white Integrated dimmer: No
 Structure: Stainless steel
 Extensible stem: Carbon fiber

Product type: Floor
 Light Source: E26 LED Globe (ø120) 22W
 Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
 Luminaire: 120VAC ELV 15W 513lm
 Weight: Net 10.36 lb – Gross 27.5 lb
 Package: 109 x 19 x 9" – 19.82 lb Vol – 10.59 ft³
 21.7 x 21.7 x 17.7" – 7.7 lb Vol – 14.8 ft³
 LED included



Suitable for wet locations



Product notes: a floor base 49 or a fixed stem needs to be purchased. See page 106.

Cable length: min 6.6 ft - max 9.2 ft
 Wire installation: Plug-in
 Cord color: Black




Jaima P307 + Shade 71

Code Finish
 Structure E26
 A683-072 ● Black (RAL 9005)
 Structure LED IP65
 A683-073 ● Black (RAL 9005) ➤

Shade 71
 A683-041 ● Beige ➤
 A683-042 ● Grey

Materials Dimmable: Based on specified lamping
 Shade: Textilene, inner part in white Integrated dimmer: No
 Structure: Stainless steel
 Extensible stem: Carbon fiber

Product type: Floor
 Light Source: E26 LED Globe (ø120) 22W
 Light Source: LED COB 120 VAC 15W 2700K CRI90 1022lm
 Luminaire: 120 VAC ELV 15W 530lm
 Weight: Net 10.5 lb – Gross 33 lb
 Package: 109 x 27.5 x 24.6" – 15.4 lb Vol – 10.947 ft³
 27.9 x 27.9 x 24.8" – 13.2 lb Vol – 10.6 ft³
 LED included



Suitable for wet locations




Product notes: a floor base 70 or a fixed stem needs to be purchased. See page 106.

Cable length: min 6.6 ft - max 9.2 ft
 Wire installation: Plug-in
 Cord color: Black




49 base + stem


Code A683-032 Finish
● Concrete - Black (RAL 9005) 

Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 31.5 lb – Gross 37.91 lb
Package: 12.2 x 7.1 x 6.7" - 4.8 lb – Vol -0.31 ft³
24.8 x 24.8 x 2.7" - 33.1 lb – Vol -0.95 ft³
Product notes: Base only compatible with Jaima P207




70 base + stem

Code A683-044 Finish
● Concrete and black (RAL 9005) 

Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 81.1 lb – Gross 113.9 lb
Package: 29.5 x 29.5 x 7.48" - 77.2 lb – Vol -3.7 ft³
12.2 x 7.08 x 6.69" - 4.85 lb – Vol -0.31 ft³
Product notes: Base only compatible with Jaima P307




Fixed stem

Code A683-032 Finish
● Black (RAL 9005)

Materials
Stem: Stainless steel

Product type: Accessory
Weight: Net 4.18" – Gross 5.07"
Package: 12.2 x 7.08 x 6.69" - 4.8 lb – Vol -0.31 ft³
Product notes: Compatible with Jaima P207 and P307.





Konoha, Yabu Pushelberg

Konoha is a simple, discreet wall lamp with a shade over a directed spotlight that turns through 360°. The shade, like a hat, covers the spotlight, allowing the light to be directed upwards, bounce off the inside and project a beam of soft light, creating

warm ambient lighting. If instead the spotlight is focused downwards, it projects a beam of direct light, turning the fixture into a reading lamp.




Konoha NEW

Code	Finish
A716-002-39-27K	● Matt Black (RAL 9005)
A716-002-35-27K	● White chalk (RAL 085 80 10)
A716-002-41-27K	● Terracotta (RAL 050 50 40)
A716-002-45-27K	● Moss grey (RAL 7003)

Materials Dimmable: No
Structure: Steel
Tube: Aluminium

Product type: Wall
Light source: LED SMD 700mA 2.1W 2700K CRI90 199.4lm
Luminaire: 120-277VAC 60Hz 3.1W 137lm
Weight: Net 2.5 lb – Gross 4.2 lb
Package: 13.8 x 13.1 x 9" – 4.2 lb Vol – 1.05 ft³
Product notes: The ON/OFF switch is located at the base of the structure
LED included



Wire installation: Hardwired




- | | |
|-----------------|-------------------------------|
| Code | Finish |
| A716-003-39-27K | ● Matt Black (RAL 9005) |
| A716-003-35-27K | ● White chalk (RAL 085 80 10) |
| A716-003-41-27K | ● Terracotta (RAL 050 50 40) |
| A716-003-45-27K | ● Moss grey (RAL 7003) |

Materials
Structure: Steel
Tube: Aluminium

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2.1W 2700K CRI90 199.4lm
Luminaire: 120-277VAC 60Hz 3.1W 137lm
Weight: Net 2.5 lb – Gross 4.2 lb
Package: 13.8 x 13.1 x 9" – 4.2 lb Vol – 1.05 ft³
Product notes: The ON/OFF switch is located at the base of the structure
LED included



Wire installation: Hardwired






Lab 2 2020

Code A646-191 Finish ● Graphite grey (RAL 7024)

Materials Dimmable: No
Structure: Injected aluminum
Lids: Metal, wood (see next page)

Product type: Wall
Light source: LED SMD 24Vdc 7.4W 2700K CRI90 378lm
Luminaire: 100 - 240 VAC 8.47W 322lm
Weight: Net 1.91 lb – Gross 2.20 lb
Package: 5.9 x 5.9 x 5.1" – 2.2 lb Vol – 0,106 ft³



Suitable for wet locations




Under approval process. For latest certification status check the spec sheet.

Wire installation: Hardwired



Lid

Code	Finish
A646-005	● White (RAL 9003)
A646-022	● Brown (RAL 8019)
A646-023	● Rust brown
A646-007	● Dark iroko





Materials

Structure: Injected aluminum
Lids: Metal, wood

Product type: Accessory

Signage Lid

Code	Finish
-	1 - 3 units
-	4 - 10 units
-	11 - 25 units
-	26 or more units



Product type: Accessory

Product Notes: Minimum order of 3pcs.
Available upon request, Lab 2 only.

Lab A 35

Code	Finish
A646-160	● Graphite grey - White (RAL 7024-9003)
A646-161	● Graphite grey - Brown (RAL 7024-8019)
A646-162	● Graphite grey - Rust brown
A646-163	● Graphite grey - Dark iroko

Materials

Structure: Aluminum
Lids: Metal, wood

Dimmable: No


Product type: Wall

Light Source: LED SMD 700mA 4W 2700K CRI80 320lm

Luminaire: 100-277 VAC 6.2W

Weight: Net 3.08 lb – Gross 5.07 lb

Package: 6.89 x 5.11 x 18.11" – 5.07 lb Vol – 0.35 ft³



Suitable for wet locations




Wire installation: Hardwired

Lab B 35

Code	Finish
A646-170	● Graphite grey - White (RAL 7024-9003)
A646-171	● Graphite grey - Brown (RAL 7024-8019)
A646-172	● Graphite grey - Rust brown
A646-173	● Graphite grey - Dark iroko

Materials: Aluminum
Lids: Metal, wood
Dimmable: No

Product type: Bollard
Light Source: LED SMD 700mA 4W 2700K CRI80 320lm
Luminaire: 100-277 VAC 6.2W
Weight: Net 3.08 lb – Gross 5.07 lb
Package: 6.89 x 5.11 x 18.11" – 5.07 lb Vol – 0.35 ft³



Suitable for wet locations



Wire installation: Hardwired




Lab B 60

Code	Finish
A646-180	● Graphite grey - White (RAL 7024-9003)
A646-181	● Graphite grey - Brown (RAL 7024-8019)
A646-182	● Graphite grey - Rust brown
A646-183	● Graphite grey - Dark iroko

Materials: Aluminum
Lids: Metal, wood
Dimmable: No

Product type: Bollard
Light Source: LED SMD 700mA 4W 2700K CRI80 320lm
Luminaire: 100-277 VAC 6.2W
Weight: Net 5.51 lb – Gross 7.71 lb
Package: 7.08 x 5.11 x 27.6" – 7.71 lb Vol – 0.70 ft³



Suitable for wet locations



Wire installation: Hardwired




Ground fixation plate

Code A646-067 Finish ● Stainless steel

Materials
Structure: Stainless steel


Product type: Accessory
Weight: Net 0.57 lb – Gross 0.7 lb
Package: 9 x 10 x 21" - 0.7 lb – Vol - 0.70 ft³



Ledtube, Daniel López

Its ergonomic design beckons you to move it in any direction, up to 360°, and its use is very intuitive. When opened, it turns on automatically; when closed, it turns off and hides away in the wall, like camouflage. It's so versatile it can be installed vertically

or horizontally, adapting to the needs of your space. Now we present a new surface edition, just as functional but more compact. The switch is integrated in the base, maximum ergonomic design, with absolute flexibility to move it in any direction.




Ledtube RSC

Code	Finish
A622-221-17-27K	● Aluminum
A622-221-18-27K	● Bronze
A622-221-35-27K	● Matte white (RAL 9010)
A622-221-39-27K	● Matte black (RAL 9005)

Materials: Aluminum, Bronze, Matte white (RAL 9010), Matte black (RAL 9005)
Structure: Injected aluminum
Frontal: Transparent polycarbonate
Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI90 226.5lm
Luminaire: 100 - 240 VAC 3.6W 131lm
Weight: Net 1.43 lb – Gross 1.76 lb
Package: 7.9 x 4.7 x 3.1" – 1.7 lb Vol – 0.075 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
LED included



Wire installation: Hardwired




Ledtube R right

Code	Finish
A622-223-17-27K	● Aluminum
A622-223-18-27K	● Bronze
A622-223-35-27K	● Matte white (RAL 9010)
A622-223-39-27K	● Matte black (RAL 9005)

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI90 226.5lm
Luminaire: 100 - 240 VAC 3.6W 131lm
Weight: Net 1.98 lb – Gross 1.98 lb
Package: 6.3 x 5.9 x 3.5" – 2 lb Vol – 0.081 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
LED included



Wire installation: Hardwired




Ledtube R left

Code	Finish
A622-224-17-27K	● Aluminum
A622-224-18-27K	● Bronze
A622-224-35-27K	● Matte white (RAL 9010)
A622-224-39-27K	● Matte black (RAL 9005)

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.3W 2700K CRI90 226.5lm
Luminaire: 100 - 240 VAC 3.6W 131lm
Weight: Net 1.98 lb – Gross 1.98 lb
Package: 6.3 x 5.9 x 3.5" – 2 lb Vol – 0.081 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to reduce glare.
LED included



Wire installation: Hardwired




Ledtube A

Code	Finish
A622-225-17-27K	● Aluminum
A622-225-18-27K	● Bronze
A622-225-35-27K	● Matte white (RAL 9010)
A622-225-39-27K	● Matte black (RAL 9005)

Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2.1W 2700K CRI90 226.5lm
Luminaire: 100 - 240 VAC 4.25W 131lm
Weight: Net 1 lb – Gross 1.23 lb
Package: 8.26 x 4.72 x 3.54" – 0.66 lb Vol – 0.07 ft³
Product notes: Lens at 25° with a honeycomb grill to reduce glare.
Integrated switch
LED included



Wire installation: Hardwired





Disk accessory

Code	Finish
A622-181-17	● Aluminum
A622-181-18	● Bronze
A622-181-35	● Matte white (RAL 9010)
A622-181-39	● Matte black (RAL 9005)

Materials
Structure: Metal

Product type: Accessory
Accessory used for installation with the junction box.




Ledtube mini

Code	Finish
A622-215-17-27K	● Aluminum
A622-215-18-27K	● Bronze
A622-215-35-27K	● Matte white (RAL 9010)
A622-215-39-27K	● Matte black (RAL 9005)


Materials
Structure: Injected aluminum
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.1W 2700K CRI90 199.4lm
Luminaire: 100 - 277 VAC 3.6W 45lm
Weight: Net 0.81 lb – Gross 1.14 lb
Package: 8.26 x 4.72 x 3.54" – 1.14 lb Vol – 0.07 ft³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Lens at 25° with a honeycomb grill to reduce glare.
LED included



Wire installation: Hardwired



The beauty of the Mercer stems not only from its essential shape, but also from how its materials blend together. The transparent blown glass structure surrounds the

textile shade, which seems to float, conveying a sense of airiness and sophistication.



Mercer M


Code
A89-018
A89-079

Finish
● Pleated white cotton ➤
● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Diffuser: Opal disc

Integrated dimmer: Yes
Dimmer Type: Progressive in-line dimmer

Product type: Table
Light source: E26 TYPE A19 100W
Weight: Net 11 lb – Gross 9.9 lb
Package: 22 x 14.9 x 15.7" – 9.9 lb Vol – 3.17 ft³
Lamping not included



Dimmer



Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line




Mercer 44

Code Finish
A89-020 ● Pleated white cotton ➤
A89-083 ● Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: 2x E26 LED TYPE A 11W
Weight: Net 17.2 lb – Gross 22 lb
Package: 22 x 22 x 18.9" – 22 lb Vol – 5.29 ft³
Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




Mercer A

Code Finish
A89-065 ● Pleated white cotton
A89-084 ● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Wal bracket: Chromed iron

Product type: Wall
Light source: E12 LED candle 5W
Weight: Net 3 lb – Gross 4.4 lb
Package: 12.6 x 13 x 11" – 3.3 lb Vol – 1.06 ft³
Lamping not included



Wire installation: Hardwired




Mercer C

Code	Finish
A89-067	● Pleated white cotton ➤
A89-085	● Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Ceiling
Light source: 2x E26 LED TYPE A 11W
Weight: Net 9.92 lb – Gross 13.22 lb
Package: 22.8 x 22.8 x 14.2" – 13 lb Vol – 3.5 ft³
Lamping not included




Wire installation: Hardwired

Spare parts

Code	Product	Finish	Spare part
A89-501	Mercer M	-	Glass
A89-500	Mercer	-	Glass
A89-505	Mercer 30	-	Glass
A89-503	Mercer 44	-	Glass
A89-504	Mercer A	-	Glass
A89-506	Mercer C	-	Glass

The Milana is a sleek, versatile form with an almost imperceptible point of light. The base lamp offers an impeccable downward-directed light, but when a shade

is added, the light escapes upward, illuminating the lamp itself. An additional counterweight version gives the user complete control over the light.



Milana


Code
 A699-101
 A699-102

Finish
 ● Off-white (RAL 1013)
 ● Black (RAL 9005)

Materials
 Shade: Aluminum
 Diffuser: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Pendant
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
 Luminaire: 100 - 120 VAC ELV 11W 340lm
 Weight: Net 1.14 lb - Gross 1.54 lb
 Package: 8.8 x 2.7 x 1.6" - 0.7 lb Vol - 0.02 ft³
 7.8 x 4.7 x 3.1" - 0.88 lb Vol - 0.2 ft³
 LED included



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



Milana 32


Code
A699-106
A699-107

Finish
● Off-white (RAL 1013)
● Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC ELV 11W 340lm
Weight: Net 1.91 lb – Gross 3.35 lb
Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
14.3 x 14.3 x 2.8" – 1.8 lb Vol – 0.98 ft³
7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³
LED included



Dimmable



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



Milana 47


Code
A699-111
A699-112

Finish
● Off-white (RAL 1013)
● Black (RAL 9005)

Materials
Shade: Aluminum
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
Luminaire: 100 - 120 VAC ELV 11W 340lm
Weight: Net 2.86 lb – Gross 5.07 lb
Package: 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
20.7 x 20.7 x 3.9" – 3.4 lb Vol – 0.98 ft³
7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³
LED included



Dimmable



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black



Milana Counterweight


Code
 A699-116
 A699-117

Finish
 ● Off-white (RAL 1013)
 ● Black (RAL 9005)

Materials
 Shade: Aluminum
 Diffuser: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Pendant
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
 Luminaire: 100 - 120 VAC ELV 11W 340lm
 Weight: Net 2.2 lb – Gross 2.86 lb
 Package: 4.7 x 4.7 x 2.9" – 1.3 lb Vol – 0.04 ft³
 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
 17.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³
 LED included



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



Milana 32 Counterweight


Code
 A699-121
 A699-122

Finish
 ● Off-white (RAL 1013)
 ● Black (RAL 9005)

Materials
 Shade: Aluminum
 Diffuser: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Pendant
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
 Luminaire: 100 - 120 VAC ELV 11W 340lm
 Weight: Net 3.52 lb – Gross 5.3 lb
 Package: 4.7 x 4.7 x 2.9" – 1.3 lb Vol – 0.04 ft³
 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
 14.3 x 14.3 x 2.8" – 1.8 lb Vol – 0.98 ft³
 7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³
 LED included



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




Milana 47 Counterweight

Code	Finish
A699-126	● Off-white (RAL 1013)
A699-127	● Black (RAL 9005)

Materials	Dimmable: Yes
Shade: Aluminum	Integrated dimmer: No
Diffuser: Polycarbonate	Dimming protocols: Phase cut (ELV)

Product type: Pendant
 Light Source: LED SMD 700mA 8.6W 2700K CRI90 372lm
 Luminaire: 100 - 120 VAC ELV 11W 340lm
 Weight: Net 5.07 lb – Gross 7.50 lb
 Package: 4.7 x 4.7 x 2.9" – 1.3 lb Vol – 0.04 ft³
 8.8 x 2.7 x 1.6" – 0.7 lb Vol – 0.02 ft³
 20.7 x 20.7 x 3.9" – 3.4 lb Vol – 0.98 ft³
 7.8 x 4.7 x 3.1" – 0.88 lb Vol – 0.2 ft³

LED included



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black



Spare parts

Code	Product	Finish	Spare part
A699-025	Milana 32	White	Shade
A699-024	Milana 32	Black	Shade
A699-029	Milana 47	White	Shade
A699-028	Milana 47	Black	Shade

ISTAS



N. Ocho, Christophe Mathieu

The wooden sphere of the N. Ocho's lampshade is handcrafted, giving each fixture a human touch. Its smooth texture has the quality and feel of a billiard ball, while its flexible arm, covered in braided fabric, is a mainstay that improves its look without

sacrificing its efficacy. The N. Ocho was designed to be placed at the head of a bed and add comfort to the bedroom, a place dedicated to restfulness, where a good book is always healthier than a sleeping pill.



N. Ocho


Code
A670-003
A670-004

Finish
● Oak
● Wenge


Materials
Plate: Metal
Arm: Metal covered in braided fabric
Diffuser: Wood

Dimmable: No

Product type: Wall
Light Source: LED SMD 700mA 2.1W 2700K CRI80 226,5lm
Luminaire: 120 - 277 VAC 3.5W
Weight: Net 1.36 lb – Gross 2.2 lb
Package: 27.2 x 6.7 x 4" – 2.2 lb Vol – 0.35 ft³
LED included



Wire installation: Hardwired
Switch location: Canopy
Canopy color: Black



Plaff-on!, Joan Gaspar

A good design is one that endures. So it is with Plaff-on!, a lamp that has been illuminating walls and ceilings for almost ten years. Its hand-blown white glass diffuser appears to float, detaching from the ceiling and the circumference that

surrounds it, and its light filters upward to create a luminous halo. Indoors, outdoors, with or without signage, the Plaff-on! now offers multiple options in one lamp that can now conquer the outdoors as well, now with a new finishing in rust brown.




Plaff-on! 16 IP65

Code	Finish	Dimming
A628-051	● Black	ELV
A628-079-31-27K	● Rust Brown	ELV
A628-069	● Black	0-10V
A628-080-31-27K	● Rust Brown	0-10V
A628-081-39-27K	● Black	on/off
A628-081-31-27K	● Rust Brown	on/off

Materials
 Structure: Aluminum
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols:
 Phase cut (ELV)
 0-10V (120-277V)

Product type: Wall / Ceiling
 Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
 Luminaire: 120 VAC ELV 8.7W 225lm
 120-277 VAC 0-10V 8.7W 225lm
 120 VAC AC LED on/off 8.7W 225lm
 Weight: Net 1.76 lb – Gross 2.65 lb
 Package: 8.6 x 8.6 x 6.7" – 2.6 lb Vol – 0.28 ft³
 LED included



Dimmable
 ADA
Suitable for wet locations

Wire installation: Hardwired




Signage Lid

Code	Description
-	1 - 3 units
-	4 - 10 units
-	11 - 25 units
-	26 or more units

Product type: Accessory

Product Notes: Minimum order of 3pcs.

Available upon request.



Plaff-on! 33 LED IP54

Code	Finish	CCT
A628-062	● Black	27K
A628-062-3CCT	● Black	27K - 30K - 40K
A628-062-31-27K	● Rust Brown	27K
A628-062-31-3CCT	● Rust Brown	27K - 30K - 40K

Materials

Structure: Aluminum

Shade: Opal blown glass

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Dual dimming driver

Phase cut (ELV) or 0-10V

Product type: Wall / Ceiling

Light source: LED SMD 700mA 23W 2700K CRI90 2654lm

Luminaire: Only 120 VAC ELV 28W 1941lm

120 - 277 VAC 0-10V 28W 1941lm

For 3CCT

Light source: LED SMD 700mA 23W 2700-4000K CRI90 2654lm


Luminaire: Only 120 VAC ELV 28W 1941lm

120 - 277 VAC 0-10V 28W 1941lm

Weight: Net 8.8 lb – Gross 9.9 lb

Package: 15.7 x 15.7 x 8.3" – 9.9 lb Vol – 1.05 ft³

LED included



Dimmable

Suitable for damp locations



Wire installation: Hardwired

The 3-CCT model has an integrated switch to select the desired color temperature during the installation.


Plaff-on! 50

Code	Finish
A628-060	● Black
A628-060-31	● Rust Brown

Materials

Structure: Aluminum
Shade: Opal blown glass

Product type: Wall / Ceiling
Light source: 4x E26 LED TYPE A 11W
Weight: Net 14.55 lb – Gross 18.7 lb
Package: 23.6 x 23.6 x 9.8" - 18.7 lb Vol - 3.18 ft³
Lamping not included



Wire installation: Hardwired

Plaff-on! A IP65


Code	Finish	Dimming
A628-161	● Black	ELV
A628-082-31-27K	● Rust Brown	ELV
A628-084-39-27K	● Black	0-10V
A628-084-31-27K	● Rust Brown	0-10V
A628-083-39-27K	● Black	on/off
A628-083-31-27K	● Rust Brown	on/off

Materials

Structure: Aluminum
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Wall
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC ELV 8.7W 225lm
120-277 VAC 0-10V 8.7W 225lm
120 VAC AC LED on/off 8.7W 225lm
Weight: Net 1.76 lb – Gross 2.64 lb
Package: 8.7 x 8.7 x 6.5" – 2.64 lb Vol – 0.28 ft³
LED included



Wire installation: Hardwired




Plaff-on! S 16 IP65 NEW

Code Finish
 A628-091-31-27K ● Rust Brown
 A628-091-39-27K ▲ Black-White

Materials Dimmable: Yes
 Structure: Aluminium Integrated dimmer: No
 Shade: Opal blown glass Dimming protocols: Phase cut (ELV)

Product type: Pendant
 Light source: LED COB 120 VAC 8W 2700K CRI90 571lm
 Luminaire: 120 VAC ELV 8,47W 225lm
 Weight: Net 2.9 lb – Gross 4.2 lb
 Package: 8.6 x 8.6 x 9.8 " – 4.2 lb Vol – 0.4 ft³
 LED included



Dimmable

Suitable for wet locations


Under approval process. For latest certification status check the spec sheet.



Wire installation: Hardwired

Plaff-on! S 16 IP65 NEW

Code Finish
 A628-089-31-27K ● Rust Brown
 A628-089-39-27K ▲ Black-White



Dimmable

Suitable for wet locations

Under approval process. For latest certification status check the spec sheet.





Product type: Pendant
 Light source: LED COB 120 VAC 8W 2700K CRI90 571lm
 Luminaire: 120 VAC ELV 8,47W 225lm
 Weight: Net 2.9 lb – Gross 4.2 lb
 Package: 8.6 x 8.6 x 9.8 " – 4.2 lb Vol – 0.4 ft³
 LED included

Wire installation: Hardwired

Garland accessory NEW

Code Finish
 A628-074 ● Stainless steel

Product type: Accessory




Plaff-on! B IP65 NEW FINISH

Code Finish
 A628-164 ● Black
 A628-085-31-27K ● Rust Brown

Materials Dimmable: Yes
 Structure: Aluminum Integrated dimmer: No
 Shade: Opal blown glass Dimming protocols: Phase cut (ELV)

Product type: Wall
 Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
 Luminaire: 120 VAC ELV 8.7W 225lm
 Weight: Net 4 lb – Gross 7.5 lb
 Package: 9.25 x 32.7 x 13.2" – 7.5 lb Vol – 2.47 ft³
 LED included



Suitable for wet locations




Wire installation: Hardwired

Ground fixation plate

Code Finish
 A628-071 ● Stainless steel

Materials
 Structure: Stainless steel 316L

Product type: Accessory for Plaff-on! B IP65
 Weight: Net 0.45 lb – Gross 1.85 lb
 Package: 10.2 x 10.2 x 7.9" - 1.85 lb – Vol - 4.6 ft³



Spare parts

Code	Product	Finish	Spare part
R628-002	Plaff-on! 16 IP65	-	Glass
R628-010	Plaff-on! 33 IP54	-	Glass
R628-011	Plaff-on! 50 IP54	-	Glass

The idea behind the Pleat Box is a sophisticated combination between a digitally designed crease in a piece of cloth and a silhouette that is applied to a ceramic base. The alchemy of the craft process leaves unpredictable traces, small marks in the

metal glaze, tiny cracks in the polish... little flaws that mark the unique personality of every lamp.



Pleat Box 13

Code	Finish
A636-408-3535	● White - White
A636-408-3549	● White - Gold
A636-408-3835	● Grey - White
A636-408-4135	● Terracotta - White
A636-408-3949	● Black - Gold
A636-408-4235	● Ocher - White
A636-408-4535	● Dark Green - White
A636-408-4549	● Dark Green - Gold

Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold
Canopy: Ceramic


Product type: Pendant

Light source: E26 LED TYPE A 11W

Weight: Net 3.1 lb – Gross 4.4 lb

Package: 9.4 x 9.4 x 20.8" – 4.4 lb Vol – 1.06 ft³

Lamping not included



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Same color as chosen shade


Pleat Box 13 LED

Code	Finish
A636-409-3535-27K	● White - White
A636-409-3549-27K	● White - Gold
A636-409-3835-27K	● Grey - White
A636-409-4135-27K	● Terracotta - White
A636-409-3949-27K	● Black - Gold
A636-409-4235-27K	● Ocher - White
A636-409-4535-27K	● Dark Green - White
A636-409-4549-27K	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: No

Product type: Pendant
 Light Source: LED SMD 350mA 4.05W 2700K CRI90 463lm
 Luminaire: 90 - 264 VAC 6W 165lm
 Weight: Net 3.63 lb – Gross 5 lb
 Package: 9.4 x 9.4 x 20.8" – 5 lb Vol – 1.06 ft³
 LED included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black fabric electrical cord
 Canopy color: Same color as chosen shade




Pleat Box 24

Code	Finish
A636-410-3535	● White - White
A636-410-3549	● White - Gold
A636-410-3835	● Grey - White
A636-410-4135	● Terracotta - White
A636-410-3949	● Black - Gold
A636-410-4235	● Ocher - White
A636-410-4535	● Dark Green - White
A636-410-4549	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant
 Light source: E26 LED TYPE A 11W
 Weight: Net 4.2 lb – Gross 5.5 lb
 Package: 14.2 x 14.2 x 11.8" – 5.5 lb Vol – 1.412 ft³
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Same color as chosen shade




Pleat Box 24 LED

Code	Finish
A636-411-3535-27K	White - White ➤
A636-411-3549-27K	White - Gold ➤
A636-411-3835-27K	Grey - White
A636-411-4135-27K	Terracotta - White
A636-411-3949-27K	Black - Gold
A636-411-4235-27K	Ocher - White
A636-411-4535-27K	Dark Green - White
A636-411-4549-27K	Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)


Product type: Pendant
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 100 - 120 VAC ELV 14W 113lm
 Weight: Net 4.2 lb– Gross 5.5 lb
 Package: 14.2 x 14.2 x 11.8" – 5.5 lb Vol – 1.412 ft³
 LED included



Dimmable



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black fabric electrical cord
 Canopy color: Same color as chosen shade




Pleat Box 36

Code	Finish
A636-412-3535	White - White
A636-412-3549	White - Gold
A636-412-3835	Grey - White
A636-412-4135	Terracotta - White
A636-412-3949	Black - Gold
A636-412-4235	Ocher - White
A636-412-4535	Dark Green - White
A636-412-4549	Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic

Product type: Pendant
 Light source: E12 LED TYPE G16.5 5W
 Weight: Net 5.7 lb – Gross 9.5 lb
 Package: 19.3 x 19.3 x 11.4" – 9.5 lb Vol – 2.47 ft³
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Same color as chosen shade




Pleat Box 36 LED

Code	Finish
A636-413-3535-27K	● White - White ➤
A636-413-3549-27K	● White - Gold ➤
A636-413-3835-27K	● Grey - White
A636-413-4135-27K	● Terracotta - White
A636-413-3949-27K	● Black - Gold
A636-413-4235-27K	● Ocher - White
A636-413-4535-27K	● Dark Green - White
A636-413-4549-27K	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)


Product type: Pendant
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 100 - 120 VAC ELV 14W 233lm
 Weight: Net 7 lb – Gross 9.5 lb
 Package: 19.3 x 19.3 x 11.4" – 9.5 lb Vol – 2.47 ft³
 LED included



Dimmable



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black fabric electrical cord
 Canopy color: Same color as chosen shade




Pleat Box 47


Code	Finish
A636-414-3535	● White - White
A636-414-3549	● White - Gold
A636-414-3835	● Grey - White
A636-414-4135	● Terracotta - White
A636-414-3949	● Black - Gold
A636-414-4235	● Ocher - White
A636-414-4535	● Dark Green - White
A636-414-4549	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic

Product type: Pendant
 Light source: E26 LED TYPE A 11W
 Weight: Net 10.2 lb – Gross 13.2 lb
 Package: 22.4 x 22.4 x 14.2" – 13.2 lb Vol – 3.5 ft³
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Same color as chosen shade




Pleat Box 47 LED

Code	Finish
A636-415-3535-27K	● White - White
A636-415-3549-27K	● White - Gold
A636-415-3835-27K	● Grey - White
A636-415-4135-27K	● Terracotta - White
A636-415-3949-27K	● Black - Gold
A636-415-4235-27K	● Ocher - White
A636-415-4535-27K	● Dark Green - White
A636-415-4549-27K	● Dark Green - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Pendant
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: 90 - 135 VAC ELV 21W 625lm
 Weight: Net 10.2 lb – Gross 13.2 lb
 Package: 22.4 x 22.4 x 14.2" – 13.2 lb Vol – 3.5 ft³
 LED included



Dimmable



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black fabric electrical cord
 Canopy color: Same color as chosen shade




Spare parts

Code	Product	Finish	Spare part
R636-027	Pleat Box 13	White - White	Shade
R636-026	Pleat Box 13	White - Gold	Shade
R636-028	Pleat Box 13	Grey - White	Shade
R636-030	Pleat Box 13	Terracotta - White	Shade
R636-034	Pleat Box 13	Black - Gold	Shade
R636-123	Pleat Box 13	Ocher - White	Shade
R636-124	Pleat Box 13	Dark Green - White	Shade
R636-125	Pleat Box 13	Dark Green - Gold	Shade
R636-017	Pleat Box 24	White - White	Shade
R636-016	Pleat Box 24	White - Gold	Shade
R636-018	Pleat Box 24	Grey - White	Shade
R636-019	Pleat Box 24	Terracotta - White	Shade
R636-022	Pleat Box 24	Black - Gold	Shade
R636-126	Pleat Box 24	Ocher - White	Shade
R636-127	Pleat Box 24	Dark Green - White	Shade
R636-128	Pleat Box 24	Dark Green - Gold	Shade
R636-041	Pleat Box 36	White - White	Shade
R636-046	Pleat Box 36	White - Gold	Shade
R636-042	Pleat Box 36	Grey - White	Shade
R636-043	Pleat Box 36	Terracotta - White	Shade
R636-049	Pleat Box 36	Black - Gold	Shade
R636-129	Pleat Box 36	Ocher - White	Shade
R636-130	Pleat Box 36	Dark Green - White	Shade
R636-131	Pleat Box 36	Dark Green - Gold	Shade
R636-014	Pleat Box 47	White - White	Shade
R636-055	Pleat Box 47	White - Gold	Shade
R636-051	Pleat Box 47	Grey - White	Shade
R636-052	Pleat Box 47	Terracotta - White	Shade
R636-058	Pleat Box 47	Black - Gold	Shade
R636-132	Pleat Box 47	Ocher - White	Shade
R636-133	Pleat Box 47	Dark Green - White	Shade
R636-134	Pleat Box 47	Dark Green - Gold	Shade

The fluidity of its movements and its integrated LED technology make the Polo a light source with a great precision and versatility.

The Polo comes with a diffuser made from injected aluminum and a rotary switch located at the top of the shade.




Polo

Code A642-011 Finish ● Black (RAL 9005)

Materials Dimmable: No
Diffuser: Aluminum
Body: Aluminum

Product type: Table
Light Source: LED SMD 350mA 6.3W 3000K CRI80 532.4lm
Luminaire: 100 - 240 VAC 9W 441lm
Weight: Net 1.55 lb – Gross 4 lb
Package: 20.8 x 14 x 4.3" – 4.4 lb Vol – 0.67 ft³
Product notes: Reflector with 80° degree aperture.
Must be combined with base or floor base.
LED included



Cable length: 7.25 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the shade





Base

Code A642-003
Finish ● Black (RAL 9005)

Materials
Base: Metal with a polycarbonate cover

Product type: Accessory
Weight: Net 8.6 lb – Gross 4.4 lb
Package: 9.4 x 9.4 x 4.7" - 4.4 lb – Vol - 0.24 ft³



Floor base

Code A642-020
Finish ● Black (RAL 9005)


Materials
Structure: Aluminum

Product type: Accessory
Weight: Net 11.90 lb – Gross 15.4 lb
Package: 13.4 x 13.4 x 1.18" - 13.2 lb – Vol - 0.11 ft³
Ø1.57 x 26" - 2.2 lb – Vol - 0.01 ft³



The Roc is a compact indoor and outdoor wall lamp with a pressed glass diffuser. Its undulating shade blurs and softens the light, creating a unique ambiance.

Roc tempts the senses. It looks like a bright block of ice, and its irregular, almost organic texture beckons to be touched.




Roc IP65

Code	Finish	Dimming
A701-051-39-27K	● Black	ELV
A701-052-39-27K	● Black	0-10V
A701-053-39-27K	● Black	on/off

Materials
Structure: Aluminum
Shade: Pressed glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols:
Phase cut (ELV)
0-10V (120-277V)

Product type: Wall
Light Source: LED SMD 500mA 6W 2700K CRI90 607.2lm
Luminaire: 120 VAC ELV 8.7W 250lm
120-277 VAC 0-10V 8.7W 250lm
100-240 VAC AC LED on/off 8.7W 250lm
Weight: Net 3.1 lb – Gross 3.7 lb
Package: 8.3 x 13.4 x 3.1 " – 4.2 lb Vol – 0.18 ft³
LED included



Dimmable

ADA

Suitable for wet locations



Wire installation: Hardwired






Santorini, Sputnik Estudio

Inspired by the lanterns found on fishing boats, this collection of outdoor customizable lamps allows you to create multiple compositions. Users can choose

how many shades to place on the diffuser, along with their order, position and direction. This interplay of combinations yields a rich array of direct or reflected light.




Santorini

Code	Finish
A654-011	● White (RAL 9003) ➤
A654-012	● Grey (RAL 7039) ➤
A654-013	● Mustard (RAL 1032) ➤

Materials
 Structure: Polycarbonate
 Shade: Blown pressed glass

Product type: Pendant
Light source: E26 TYPE A19 8W
Weight: Net 3.1 lb – Gross 4.9 lb
Package: 16.1 x 10.2 x 9.4" – 4.9 lb Vol – 0.81 ft³
 Lamping not included



Suitable for wet locations



Cable length: 15 ft
 Wire installation: Plug-in
 Cord color: Black




Santorini A Fixed Stem

Code	Finish
A654-030	● White (RAL 9003)
A654-031	● Grey (RAL 7039)
A654-032	● Mustard (RAL 1032) ➤

Materials

Structure: Polycarbonate
 Shade: Blown pressed glass
 Support: Stainless anti-oxidant
 cataphoresis treatment

Product type: Wall
 Light source: E26 LED TYPE A19 8W
 Weight: Net 3.3 lb – Gross 5.3 lb
 Package: 20.8 x 13 x 9.4" – 5.3 lb Vol – 1.48 ft³
 Lamping not included



Suitable for
wet locations



Wire installation: Hardwired


Santorini C

Code	Finish
A654-033	● White (RAL 9003)
A654-034	● Grey (RAL 7039)
A654-035	● Mustard (RAL 1032) ➤

Materials

Structure: Polycarbonate
 Shade: Blown pressed glass
 Support: Stainless anti-oxidant
 cataphoresis treatment

Product type: Ceiling
 Light source: E26 LED TYPE A19 8W
 Weight: Net 3.1 lb – Gross 5.3 lb
 Package: 20.8 x 13 x 9.4" – 5.3 lb Vol – 1.48 ft³
 Lamping not included



Suitable for
wet locations




Wire installation: Hardwired

Santorini with Canopy IP65

Code	Finish
A654-039	White (RAL 9003)
A654-040	Grey (RAL 7039)
A654-041	Mustard (RAL 1032) 

Materials
 Structure: Polycarbonate
 Shade: Blown pressed glass

Product type: Pendant
 Light source: E26 TYPE A19 8W
 Weight: Net 3.1 lb – Gross 4.9 lb
 Package: 20.47 x 12.99 x 9.84" - 4.41 lb Vol - 1.48ft³
 6.2 x 4.7 x 4.7" - 0.66 lb Vol - 0.07ft³
 Lamping not included



Suitable for wet locations



Cable length: 14.76 ft
 Wire installation: Hardwired
 Cord color: Black




Santorini Indoor

Code	Finish
A654-054	Light green (PANTONE 5517U)
A654-055	Sand (RAL 1001)
A654-056	Off-white (RAL 1013)

Materials
 Structure: Polycarbonate
 Shade: Blown pressed glass

Product type: Pendant
 Light source: E26 LED TYPE A19 8W
 Weight: Net 2.9 lb – Gross 4.4 lb
 Package: 20.47 x 12.99 x 9.84" - 4.41 lb Vol - 1.48ft³
 6.2 x 4.7 x 4.7" - 0.66 lb Vol - 0.07ft³
 Lamping not included




Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black fabric electrical cord
 Canopy color: Black



Garland accessory

Code A654-045
 Finish ● Grey

Product type: Accessory




Wall bracket

Code A654-005
 Finish ● Graphite grey (RAL 7024) ➔

Materials
 Structure: Metal with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
 Weight: Net 0.67 lb – Gross 1.1 lb
 Package: 5.5 x 5.5 x 11.22" - 1.1 lb – Vol - 0.2 ft³




Floor accessory

Code A654-009
 Finish ● Grey (RAL 7039) ➔

Materials
 Structure: Metallic structure with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
 Weight: Net 14.8 lb – Gross 17.2 lb
 Package: 9.8 x 2 x 70.5" - 4.4 lb – Vol - 0.77 ft³
 14.5 x 14.5 x 2" - 9.9 lb – Vol - 0.21 ft³



Spare parts

Code	Product	Finish	Spare part
R654-001	Santorini Outdoor	-	Glass
R654-005	Santorini Outdoor	White	Big Shade
R654-006	Santorini Outdoor	Grey	Big Shade
R654-007	Santorini Outdoor	Mustard	Big Shade
R654-010	Santorini Outdoor	White	Small Shade
R654-011	Santorini Outdoor	Grey	Small Shade
R654-012	Santorini Outdoor	Mustard	Small Shade
R654-009	Santorini Outdoor	White	Cylindrical Shade

Scantling, Mathias Hahn

Wood and metal combine in a design that utilizes the beauty and simplicity of basic geometric shapes. The Scantling is based on a highly functional and flexible system, in which all the movements of the fully rotational shade use ball joints and arms to

create a versatile, easy-to-move light. In addition, its technical precision requires no exposed springs or counterweights to stay in the specified position.




Scantling P73

Code A626-009 Finish ● White (RAL 9001)

Materials
Stem: Iron
Base: Iron
Arm: Oak
Shade: Aluminum

Product type: Floor
Light source: E26 LED TYPE A 11W
Weight: Net 16.5 lb – Gross 23.5 lb
Package: 18.1 x 57.7 x 6.7" – 12.2 lb Vol – 4.04 ft³
 11.8 x 11.8 x 8.6" – 12.2 lb Vol – 0.69 ft³
Lamping not included




Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black fabric electrical cord
Switch location: Shade




Scantling A

Code
A626-015

Finish
● White (RAL 9001) 

Materials
Structure: Iron
Arm: Oak
Shade: Aluminum

Product type: Wall
Light source: E26 LED TYPE A 11W
Weight: Net 1.76 lb – Gross 3.1 lb
Package: 13.8 x 11.8 x 7" – 3.1 lb Vol – 0.7 ft³
Lamping not included




Wire installation: Hardwired
Switch location: Canopy



Sips, Christophe Mathieu

Ingenious, minimal and decisive, this is the Sips portable lamp. An understated, timeless design with a very clear purpose: to create a distinctive, intimate lighted space, even outdoors.

With a small opaque shade, the Sips illuminates the table directly but without dazzling or overpowering the space.



Sips


Code
A721-001-3534-27K
A721-001-4749-27K

Finish
● White - Silver (RAL 9001 - RAL 9006)
● Chocolate - Gold (RAL 8017 - RAL 1036)

Materials
Diffuser: Polycarbonate
Base: Polycarbonate
Stem: Steel

Dimmable: Yes
Integrated dimmer: Yes
Dimmer Type: 3 positions dimmer

Product type: Table / Portable
Light source: LED SMD 2,2W 1,5 A 2700K CRI90 327lm
Luminaire: in 5 Vdc 1,5A
Weight: Net 0.75 lb – Gross 1.3 lb
Package: 14.5 x 5.3 x 4.7" – 1.3 lb Vol – 0.2 ft³
Product notes: Multiple order of 6 units
Charging cable included (USB to USB-C). Power adapter not included.
LED included



Dimmer

**Suitable for
wet locations**

Switch location: Body
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power






Soho, Joan Gaspar

The striking, industrial shapes in the Soho collection are reminiscent of the lamps that were traditionally used in markets and taverns, but they contrast through the use of thoroughly contemporary materials and textures.

It is made from rotation-molded polyethylene, a technique that allows us to offer it in different sizes.




Soho 38 LED

Code	Finish
A631-235	● White
A631-236	● Stone grey
A631-237	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 13.2W 2700K CRI80 1848lm
Luminaire: 100 - 120 VAC ELV 16W 1051lm
Weight: Net 5.5 lb – Gross 7.71 lb
Package: 17.3 x 17.7 x 9.4" – 7.71 lb Vol – 1.76 ft³
LED included



Dimmable

Suitable for damp locations

cULus

Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White




Soho 57 LED

Code	Finish
A631-356	● White
A631-357	● Stone grey
A631-358	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 28W 2700K CRI80 1848lm
 Luminaire: Only 120 VAC ELV 36W 1051lm
 120 - 277 VAC 0-10V 36W 1051lm
 Weight: Net 15.4 lb – Gross 18.7 lb
 Package: 23.6 x 23.6 x 14.2" – 18.7 lb Vol – 4.7 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable

Suitable for damp locations



Cable length: 6.6 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: White


Soho 112 LED

Code	Finish
A631-371	● White ☞
A631-372	● Stone grey ☞
A631-373	● Black ☞

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 79.2W 2700K CRI90 1848lm
 Luminaire: 120 - 277 VAC 0-10V 95W 1051lm
 Weight: Net 60.84 lb – Gross 68.3 lb
 Package: 45.2 x 45.2 x 28.3" – 68.3 lb Vol – 33.62 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable

Suitable for damp locations



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: White


Soho 38 IP44 LED

Code	Finish
A631-245	● White
A631-246	● Stone grey
A631-247	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (ELV)

Product type: Pendant
Light Source: LED SMD 700mA 13.2W 2700K CRI80 1848lm
Luminaire: 100 - 120 VAC ELV 16W 1051lm
Weight: Net 5.95 lb – Gross 7.71 lb
Package: 17.7 x 17.3 x 9.84" – 7.71 lb Vol – 1.76 ft³
LED included



Dimmable

Suitable for
wet locations



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White


Soho 57 IP44 LED

Code	Finish
A631-362	● White
A631-363	● Stone grey
A631-364	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Dual dimming driver
Phase cut (ELV) or 0-10V

Product type: Pendant
Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
Luminaire: Only 120 VAC ELV 36W 2086lm
120 - 277 VAC 0-10V 36W 2086lm
Weight: Net 15.4 lb – Gross 18.9 lb
Package: 23.6 x 24 x 14.2" – 18.9 lb Vol – 4.6 ft³
Product notes: 3000K available upon request
LED included



Dimmable

Suitable for
wet locations



Cable length: 6.6 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: White


Soho 112 IP44 LED

Code	Finish
A631-377	● White 
A631-378	● Stone grey 
A631-379	● Black 

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: 0-10V

Product type: Pendant
 Light Source: LED SMD 350mA 79.2W 2700K CRI90 15648lm
 Luminaire: 120 - 277 VAC 0-10V 95W 8085lm
 Weight: Net 60.9 lb – Gross 68.3 lb
 Package: 45.2 x 45.2 x 28.3" – 68.3 lb Vol – 33.62 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable

Suitable for wet locations



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: White


Soho A LED

Code	Finish
A631-365	● White
A631-366	● Stone grey
A631-367	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal
 Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Wall
 Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
 Luminaire: Only 120V VAC ELV 36W 2086lm
 120 - 277V VAC 0-10V 36W 2086lm
 Weight: Net 17.2 lb – Gross 21.4 lb
 Package: 23.62 x 24 x 14.2" – 21.4 lb Vol – 4.6 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable

Suitable for wet locations



Wire installation: Hardwired
 Canopy color: Black


Soho C Fixed Stem LED

Code	Finish
A631-368	● White
A631-369	● Stone grey
A631-370	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal
 Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Dual dimming driver
 Phase cut (ELV) or 0-10V

Product type: Ceiling
 Light Source: LED SMD 700mA 28W 2700K CRI80 3446lm
 Luminaire: Only 120 VAC ELV 36W 2086lm
 120 - 277 VAC 0-10V 36W 2086lm
 Weight: Net 16.8 lb – Gross 17.6 lb
 Package: 23.62 x 23.62 x 14.56" – 17.6 lb Vol – 4.6 ft³
 Product notes: 3000K available upon request
 LED included



Dimmable

Suitable for
wet locations



Wire installation: Hardwired
 Canopy color: Black



Soho 38 P LED


Code	Finish
A631-255	● White
A631-256	● Stone grey
A631-257	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal
 Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)

Product type: Floor
 Light Source: LED SMD 700mA 8.1W 2700K CRI90 913lm
 Luminaire: 120 VAC ELV 14W
 Weight: Net 26 lb – Gross 32 lb
 Package: 17.32 x 17.32 x 9.84" – 6.61 lb Vol – 1.76 ft³
 18.1 x 18.1 x 1.18" – 19.84 lb Vol – 0.21 ft³
 69.29 x 11.8 x 2.56" – 6.6 lb Vol – 1.05 ft³

LED included



Dimmable

Suitable for
wet locations



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black





The Tam Tam is a festive and versatile collection that offers several options to add color and originality to all types of interior design projects. The idea is to be able to aim the light in any direction, making this fixture perfect for long or narrow spaces.

This year, the collection is updated with new colors and a semi-matt finish on all models.




Tam Tam 3 NEW FINISH

- | Code | Finish |
|---------------|------------------------------------|
| Central shade | |
| A633-176 39 | ● Black semi-matt (RAL 9011) ➤ |
| A633-176 35 | ● Off-White semi-matt (RAL 1013) ➤ |
| A633-176 48 | ● Blue grey semi-matt (RAL 7031) |
| A633-176 43 | ● Khaki semi-matt (RAL 7008) |


- | | |
|-----------------|-------------------------------------|
| Satellite shade | |
| A633-177 39 | ● Black semi-matt (RAL 9011) ➤ |
| A633-177 35 | ● Off-white semi-matt (RAL 1013) ➤ |
| A633-177 37 | ● Sand semi-matt (RAL 7032) |
| A633-177 38 | ● Silver Grey semi-matt (RAL 7001) |
| A633-177 42 | ● Olive Yellow semi-matt (RAL 1020) |
| A633-177 46 | ● Orange semi-matt (RAL 2000) |
| A633-177 47 | ● Brown Grey semi-matt (RAL 7013) |

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate

Product type: Pendant
 Light source: 9x E26 LED TYPE A 11W
 Weight: Net 10.4 lb – Gross 18 lb
 Package: 22.4 x 22.4 x 15.3" – 13.2 Vol – 4.485 ft³
 (3x) 16.5 x 16.5 x 10.6" – 4.8 lb Vol – 1.76 ft³
 Product notes: Combine 1 central shade and 3 satellite shades.
 Lamping not included



Cable length: 11.5 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




Tam Tam 5 NEW FINISH

Code	Finish
Central shade	
A633-178 39	● Black semi-matt (RAL 9011) ➤
A633-178 35	● Off-White semi-matt (RAL 1013) ➤
A633-178 48	● Blue grey semi-matt (RAL 7031)
A633-178 43	● Khaki semi-matt (RAL 7008)

Satellite shade	
A633-177 39	● Black semi-matt (RAL 9011) ➤
A633-177 35	● Off-white semi-matt (RAL 1013) ➤
A633-177 37	● Sand semi-matt (RAL 7032)
A633-177 38	● Silver Grey semi-matt (RAL 7001)
A633-177 42	● Olive Yellow semi-matt (RAL 1020)
A633-177 46	● Orange semi-matt (RAL 2000)
A633-177 47	● Brown Grey semi-matt (RAL 7013)

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate

Product type: Pendant
 Light source: 13x E26 LED TYPE A 11W
 Weight: Net 9.7 lb – Gross 18.07 lb
 Package: 22.4 x 22.4 x 15.3" – 13.2 lb Vol – 4.48 ft³
 (5x) 16.5 x 16.5 x 10.6" – 4.8 lb Vol – 1.76 ft³
 Product notes: Combine 1 central shade and 5 satellite shades.
 Lamping not included



Cable length: 11.5 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black




Tam Tam Mini NEW FINISH

Code	Finish
Central shade	
A633-179 39	● Black semi-matt (RAL 9011) ➤
A633-179 35	● Off-White semi-matt (RAL 1013) ➤
A633-179 48	● Blue grey semi-matt (RAL 7031)
A633-179 43	● Khaki semi-matt (RAL 7008)

Satellite shade	
A633-130 39	● Black semi-matt (RAL 9011) ➤
A633-130 35	● Off-white semi-matt (RAL 1013) ➤
A633-130 37	● Sand semi-matt (RAL 7032) ➤
A633-130 38	● Silver Grey semi-matt (RAL 7001) ➤
A633-130 42	● Olive Yellow semi-matt (RAL 1020) ➤
A633-130 46	● Orange semi-matt (RAL 2000) ➤
A633-130 47	● Brown Grey semi-matt (RAL 7013) ➤

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate

Product type: Pendant
 Light source: 5x E26 LED TYPE A 11W
 Weight: Net 6 lb – Gross 9 lb
 Package: 17.3 x 17.3 x 11" – 7.5 lb Vol – 1.9 ft³
 (3x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
 Product notes: Combine 1 central shade and 3 satellite shades.
 Lamping not included



Cable length: 8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black






Tam Tam 4 NEW FINISH

Code	Finish
Structure A633-180 39	● Black semi-matt (RAL 9011) ➤
Shades	
A633-130 39	● Black semi-matt (RAL 9011) ➤
A633-130 35	● Off-white semi-matt (RAL 1013) ➤
A633-130 37	● Sand semi-matt (RAL 7032) ➤
A633-130 38	● Silver Grey semi-matt (RAL 7001) ➤
A633-130 42	● Olive Yellow semi-matt (RAL 1020) ➤
A633-130 46	● Orange semi-matt (RAL 2000) ➤
A633-130 47	● Brown Grey semi-matt (RAL 7013) ➤

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 4x E26 LED TYPE A 11W
Weight: Net 5.3 lb – Gross 11.24 lb
Package: 65.7 x 7 x 7" – 9.7 lb Vol – 1.9 ft³
(4x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
Product notes: Combine structure with 4 satellite shades.
Lamping not included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Tam Tam 6 NEW FINISH

Code	Finish
Structure A633-181 39	● Black semi-matt (RAL 9011) ➤
Shades	
A633-130 39	● Black semi-matt (RAL 9011) ➤
A633-130 35	● Off-white semi-matt (RAL 1013) ➤
A633-130 37	● Sand semi-matt (RAL 7032) ➤
A633-130 38	● Silver Grey semi-matt (RAL 7001) ➤
A633-130 42	● Olive Yellow semi-matt (RAL 1020) ➤
A633-130 46	● Orange semi-matt (RAL 2000) ➤
A633-130 47	● Brown Grey semi-matt (RAL 7013) ➤

Materials
Shade: Aluminum
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 6x E26 LED TYPE A 11W
Weight: Net 6.6 lb – Gross 14.10 lb
Package: 65.7 x 7 x 7" – 9.7 lb Vol – 1.9 ft³
(6x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
Product notes: Combine structure with 6 satellite shades.
Lamping not included



Cable length: 9.8 ft
Wire installation: Hardwired
Cord color: Black
Canopy color: Black




Tam Tam P NEW FINISH

Code	Finish
Stem	
A633-182 39	● Black semi-matt (RAL 9011)
Shade	
A633-130 39	● Black semi-matt (RAL 9011) ➤
A633-130 35	● Off-white semi-matt (RAL 1013) ➤
A633-130 37	● Sand semi-matt (RAL 7032) ➤
A633-130 38	● Silver Grey semi-matt (RAL 7001) ➤
A633-130 42	● Olive Yellow semi-matt (RAL 1020) ➤
A633-130 46	● Orange semi-matt (RAL 2000) ➤
A633-130 47	● Brown Grey semi-matt (RAL 7013) ➤

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate
 Structure: Metal

Product type: Floor
 Light source: E26 LED TYPE A 11W
 Weight: Net 6.6 lb – Gross 9.9 lb
 Package: 50 x 3.1 x 3.1" – 3.3 lb Vol – 0.28 ft³
 13 x 13 x 1.18" – 6.6 lb Vol – 0.1 ft³
 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line




Tam Tam P2 NEW FINISH

Code	Finish
Stem	
A633-183 39	● Black semi-matt (RAL 9011)
Shade	
A633-130 39	● Black semi-matt (RAL 9011) ➤
A633-130 35	● Off-white semi-matt (RAL 1013) ➤
A633-130 37	● Sand semi-matt (RAL 7032) ➤
A633-130 38	● Silver Grey semi-matt (RAL 7001) ➤
A633-130 42	● Olive Yellow semi-matt (RAL 1020) ➤
A633-130 46	● Orange semi-matt (RAL 2000) ➤
A633-130 47	● Brown Grey semi-matt (RAL 7013) ➤

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate
 Structure: Metal

Product type: Floor
 Light source: 2x E26 LED TYPE A 11W
 Weight: Net 15.4 lb – Gross 19.84 lb
 Package: 66.14 x 7 x 7" – 8.3 lb Vol – 0.28 ft³
 13 x 13 x 1.18" – 6.6 lb Vol – 0.1 ft³
 (2x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
 Product notes: Combine stem with 2 satellite shades.
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line




Tam Tam P3 NEW FINISH

Code	Finish
Stem	
A633-184 39	● Black semi-matt (RAL 9011) ➤
Shade	
A633-130 39	● Black semi-matt (RAL 9011) ➤
A633-130 35	● Off-white semi-matt (RAL 1013) ➤
A633-130 37	● Sand semi-matt (RAL 7032) ➤
A633-130 38	● Silver Grey semi-matt (RAL 7001) ➤
A633-130 42	● Olive Yellow semi-matt (RAL 1020) ➤
A633-130 46	● Orange semi-matt (RAL 2000) ➤
A633-130 47	● Brown Grey semi-matt (RAL 7013) ➤

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate
 Structure: Metal

Product type: Floor
 Light source: 3x E26 LED TYPE A 11W
 Weight: Net 15.4 lb – Gross 22.04 lb
 Package: 66.14 x 7 x 7" – 8.3 lb Vol – 0.28 ft³
 13 x 13 x 1.18" – 6.6 lb Vol – 0.1 ft³
 (3x) 9.4 x 9.4 x 6.7" – 2.2 lb Vol – 0.317 ft³
 Product notes: Combine stem with 3 satellite shades.
 Lamping not included



Cable length: 6.6 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: In-line




Tam Tam A NEW FINISH

Code	Finish
Base 1	
A633-145 35	● Off-white semi-matt (RAL 1013) ➤
Shade	
A633-130 39	● Black semi-matt (RAL 9011) ➤
A633-130 35	● Off-white semi-matt (RAL 1013) ➤
A633-130 37	● Sand semi-matt (RAL 7032) ➤
A633-130 38	● Silver Grey semi-matt (RAL 7001) ➤
A633-130 42	● Olive Yellow semi-matt (RAL 1020) ➤
A633-130 46	● Orange semi-matt (RAL 2000) ➤
A633-130 47	● Brown Grey semi-matt (RAL 7013) ➤

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate
 Plate: Metal

Product type: Wall
 Light source: E26 LED TYPE A 11W
 Weight: Net 2.7 lb – Gross 4.40 lb
 Package: 12.2 x 12.2 x 5.1" – 2.2 lb Vol – 0.317 ft³
 9.4 x 9.4 x 6.2" – 2.2 lb Vol – 0.247 ft³
 Lamping not included




Wire installation: Hardwired
 Switch location: Backplate



Code	Finish
Base A633-146 35	● Off-white semi-matt (RAL 1013) ➤
Shade A633-130 39	● Black semi-matt (RAL 9011) ➤
A633-130 35	● Off-white semi-matt (RAL 1013) ➤
A633-130 37	● Sand semi-matt (RAL 7032) ➤
A633-130 38	● Silver Grey semi-matt (RAL 7001) ➤
A633-130 42	● Olive Yellow semi-matt (RAL 1020) ➤
A633-130 46	● Orange semi-matt (RAL 2000) ➤
A633-130 47	● Brown Grey semi-matt (RAL 7013) ➤

Materials
 Shade: Aluminum
 Diffuser: Opalescent methacrylate
 Plate: Metal

Product type: Wall
 Light source: 2x E26 LED TYPE A 11W
 Weight: Net 3.3 lb – Gross 5.1 lb
 Package: 12.2 x 12.2 x 5.1" – 2.9 lb Vol – 0.1 ft³
 (2x) 9.4 x 9.4 x 6.7" – 2.2 lb – 0.317 ft³
 Product notes: Combine base with 2 satellite shades
 Lamping not included



Wire installation: Hardwired





The W, PerezOchando

Unfold the light or fold it. The new design of Estudio Perez Ochando proposes a lamp of large format, flexible, thought to adapt to the different necessities of lighting big spaces.

A large black vertical structure is the main shaft from which a number of rods emerge; some can be moved upwards to expand the light and others downwards to focus it.




The W

Code	Finish
A705-011-3949-27K	● Black - Gold
A705-011-3937-27K	● Black - Ivory (RAL 1015)
A705-011-3941-27K	● Black - Terracotta (RAL 8023)

Materials	Dimmable: Yes
Structure: Aluminium	Integrated dimmer: No
Diffusers: Aluminium, Polycarbonate	Dimming protocols: 0-10V

Product type: Pendant
 Light source: LED SMD 36V 90W 2700K CRI90 8400lm
 Luminaire: 120-277 VAC 0-10V 103W 5600lm

Weight: Net 29.3 lb – Gross 33.8 lb
 Package: 8.3 x 8.3 x 44" – 9.5 lb Vol – 1.8 ft³
 10.2 x 7.9 x 20.1" – 16 lb Vol – 1.05 ft³
 16.5 x 16.5 x 3.1" – 8.3 lb Vol – 0.35 ft³
 LED included



Dimmable



Cable length: 9.8 ft
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black




Anti-rotation accessory

Code
A705-010

Finish
● Black

Materials
Structure: Steel

Product type: Accessory



From light to shadow with a single gesture. Theia has two faces: to discover them, simply swivel the fixture around its central axis. It can be pointed towards you for use

as a reading lamp, or towards an object or a wall, creating a subtle, indirect light that immediately warms the atmosphere.



Theia M

Code
 A672-005
 A672-006


Finish
 ● White (RAL 9010)
 ● Black (RAL 9005)

Materials
 Base: Iron
 Stem: Iron
 Dissipater: Aluminum
 Diffuser: Spun metal
 Shade: Thermoformed methacrylate

Integrated dimmer: Yes
 Dimmer Type: Progressive from 0 to 100

Product type: Table
 Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
 Luminaire: 85 - 264 VAC 14W
 Weight: Net 13 lb – Gross 15.9 lb
 Package: 14.1 x 14.1 x 9.44" – 13.22 lb Vol – 1.06 ft³
 17.3 x 7 x 4.7" – 4.41 lb Vol – 0.35 ft³

LED included



Cable length: 5 ft
 Wire installation: Plug-in
 Cord color: Black
 Switch location: Built-in the dissipater



Theia P


Code
A672-007
A672-008

Finish
● White (RAL 9010)
● Black (RAL 9005)

Materials
Base: Iron
Stem: Iron
Dissipater: Aluminum
Diffuser: Spun metal
Shade: Thermoformed methacrylate

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Floor
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 14W
Weight: Net 15 lb – Gross 19.2 lb
Package: 14.6 x 14.6 x 9" – 13.2 lb Vol – 1.06 ft³
42.7 x 6.7 x 4.7" – 6 lb Vol – 0.7 ft³
LED included



Cable length: 5 ft
Wire installation: Plug-in
Cord color: Black
Switch location: Built-in the dissipater






TXL 2019 205

Code Finish
 A605-076 ● Beige
 A605-077 ● Grey

Materials
 Base: Concrete
 Stem: Stainless steel
 Diffuser: White acid etched glass
 Shade: Textilene with the inner part
 always in white

Product type: Floor
 Light source: 2x E26 LED TYPE A 11W
 Weight: Net 63.5 lb – Gross 70.5 lb
 Package: 16 x 13 x 13" – 5.5 lb Vol – 1.41 ft³
 27.6 x 27.6 x 19.7" – 9.7 lb Vol – 8.8 ft³
 86.6 x 3.9 x 3.9" – 7.9 lb Vol – 0.7 ft³
 26 x 26 x 5.9" – 47.3 lb Vol – 2.11 ft³

Lamping not included



Suitable for wet locations



Cable length: 8 ft
 Wire installation: Plug-in
 Cord color: Black

TXL 2019 170

Code	Finish
A605-078	● Beige 
A605-079	● Grey 

Materials

Base: Concrete
 Stem: Stainless steel
 Diffuser: White acid etched glass
 Shade: Textilene with the inner part always in white


Product type: Floor

Light source: 3x E26 LED TYPE A 8W

Weight: Net 46.7 lb – Gross 51.1 lb

Package: 10.6 x 11 x 14.9" – 4.4 lb Vol – 0.7 ft³
 23.6 x 23.6 x 17.7" – 7.9 lb Vol – 5.6 ft³
 70.8 x 3.9 x 3.9" – 6.8 lb Vol – 0.63 ft³
 22.8 x 22.8 x 5.9" – 31.9 lb Vol – 1.7 ft³

Lamping not included



Suitable for wet locations



Cable length: 8 ft
 Wire installation: Plug-in
 Cord color: Black

Spare parts

Code	Product	Finish	Spare part
A605-102	Txl 205	-	Glass
A605-112	Txl 170	-	Glass
R605-004	Txl 2019 205	Beige	Shade
R605-005	Txl 2019 205	Grey	Shade
R605-006	Txl 2019 170	Beige	Shade
R605-007	Txl 2019 170	Grey	Shade




Vetra 43

Code	Finish	Dimming
A689-016	● White	ELV
A689-023	● White	0-10V
A689-043	● Amber	ELV
A689-044	● Amber	0-10V

Materials
 Shade: Blown glass
 Dissipater: Aluminum

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (ELV)
 0-10V

Product type: Pendant
 Light Source: LED SMD 700mA 16.28W 2700K CRI90 1873lm
 Luminaire: 90 - 135 VAC ELV 19W 881lm
 120 - 277 VAC 0-10V 19W 881lm
 Weight: Net 12.6 lb – Gross 16.5 lb
 Package: 22.4 x 22.4 x 14.6" – 6.5 lb Vol – 4.23 ft³
 LED included



Dimmable



Cable length: 9.8 ft
 Wire installation: Hardwired
 Cord color: Black
 Canopy color: Black

Vetra P


Code	Finish
A689-019	● White
A689-020	● Black

Materials
Base: Iron
Stem: Iron
Shade: Blown glass
Dissipater: Aluminum

Dimmable: Yes
Integrated dimmer: No
3 positions sensor dimmer.

Product type: Floor
Light Source: LED SMD 700mA 8.2W 2700K CRI90 913lm
Luminaire: 90 - 264 VAC 11W 348lm
Weight: Net 17.4 lb – Gross 22 lb
Package: 17 x 17 x 11" – 6.61 lb Vol – 1.8 ft³
55 x 10 x 10" – 8.8 lb Vol – 3.17 ft³
14 x 14 x 2" – 6.6 lb Vol – 0.78 ft³

LED included



Dimmer



Cable length: 6.6 ft
Wire installation: Plug-in
Cord color: Black
Switch location: In-line



Spare parts

Code	Product	Finish	Spare part
R689-001	Vetra 43	White	Glass
R689-006	Vetra 43	Amber	Glass





Zenc

Code	Finish
A715-002-35	● White (RAL 1013)
A715-002-38	● Grey (RAL 7022)
A715-002-40	● Red (RAL 3011)
A715-002-48	● Sky Blue (PANTONE 7542C)
A715-002-42	● Pale yellow (RAL 085 80 30)

Materials

Shade: Bi-injected rotary moulded polyethylene


Product type: Pendant

Light source: E26 Globe (Ø95) 12W

Weight: Net 6.6 lb – Gross 8.6 lb

Package: 20.4 x 20.42 x 14.6" – 8.6 lb Vol – 3.53 ft³

Lamping not included



Cable length: 8 ft

Wire installation: Hardwired

Cord color: Black

Canopy color: Black



Plan your projects in our Professional Area

Photometric Data

Press Releases




Banners

2D Models





3D Models

HR Images

Videos



Ø3.9"



We want to offer you an exclusive service that's designed to make your work easier. By signing up at the new professional area at [marset.com](https://www.marset.com), you'll be able to download technical information, images, and videos of our products, receive our newsletter, and save your preferred products. We offer direct access and personal attention.

Dimmer

Dimmer on the unit.

Dimmable

Product which can be dimmed.



Quick ship item. Always in stock, ships within 5 to 10 days.



Oversized item. Special freight policy applies. Freight assessed separately.

Technical note

The watts shown on the pricelist are the actual watts of the luminaire (including both LED and driver); otherwise, the watts are expressly shown as being for the light source. Similarly, the lumens may be for the luminaire or light source, as shown on the pricelist. For more information, you can find lighting data on our website.



Marset USA Inc.

202 N 10th Street
Brooklyn, NY 11211
T +1 646 727 4250
marsetusa@marset.com

Milan Showroom

Via dell'Annunciata 29
20121 Milan (Italy)
C +39 366 6059083
milano-showroom@mdaitalia.it

Factory & Headquarters

Carretera de Rubí 284
08228 Terrassa (Spain)
T +34 934 600 107
info@marset.com

Cologne Showroom

Design Post
Deutz-Mülheimer-Str. 22a
50679 Cologne (Germany)
T +49 221 69 06 50
info@marset.com

Barcelona Showroom

Santaló 56 interior
08021 Barcelona (Spain)
T +34 934 142 844
press@marset.com

Mexico Showroom

Alejandro Dumas 212
11550 Mexico City
T +52 5568170926
marset@g-tec.com.mx



